





CONTENT

GEBERIT ACTUATOR PLATES OVERVIEW What you see is what you get. The Geberit actuators are the only part of the concealed cisterns that you see and touch several times a day. Find the applications and an overview.	05
INTRODUCTION TO THE GEBERIT CONCEALED CISTERNS There is a long history behind the Geberit concealed cisterns. Find out more about the background and the advantages.	10
GEBERIT SIGMA CISTERNS Geberit Sigma cisterns are providing a lot of possibilities for high-class design in your bathroom.	14
GEBERIT OMEGA CISTERNS Geberit Omega cisterns offer solutions for low height applications.	22
GEBERIT ALPHA CISTERNS Geberit Alpha cisterns are the latest members of the family.	26
THE PERFECT MATCH Recommendations for your bathroom	30
TECHNICAL INFORMATION When do you install which cistern?	36
OVERVIEW OF ALL CISTERNS	38

GEBERIT ACTUATORS FOR EVERY APPLICATION

TRIGGER POINTS

The Geberit actuator plates not only come in a large variety of designs, but also for every application. Be it at home, in a semi-public place like a hospital, or in a public place with a high traffic like e.g. an airport: there is an actuator plate for every requirement.



FEEL AT HOME

For the bathroom at home all options are available: there is a vast variety of designs to choose from, single flush, dual flush or stop-and-go flush. Even touchless solutions might be interesting, depending on your needs and bathroom design.









SEMI-PUBLIC SOLUTIONS

For hotels, restaurants or hospitals there are a lot of touchless actuators available that even offer a dual flush system, helping you saving water. Of course all aspects of hygienic requirements are covered.





should also be in the centre of attention.

HIGH-TRAFFIC PUBLIC PLACES

If you run a public toilet at a train station,

an airport or in a night-club, you go for

the vandal-proof actuators made of stainless steel. The infrared steered

actuators that offer a single flush, cleaning automatically after every use,







bright chrome-plated





→ 115 770 DT 5 (plastic)

special brass (colour)



→ 115.770.I B.5 (plastic) white / blue / red



→ 115.770.1 A.5 (plastic) white / yellow / green



→ 115.770.SX.5 (plastic) white / ocean blue / light blue



→ 115.770.79.5 (plastic) white / forest green / light green



→ 115.770.FY.5 (plastic)

white / carmine red / orange

vandal-resistant, screwable ** vandal-resistant, with electronic dual flush and manual override

*** easy-to-clean coated **** The colour and structure of natural products may vary

 Dual flush 246 mm x 164 mm

white alpine

SIGMA01 SQUARE

→ 115.660.11.1 (plastic)

→ 115.660.21.1 (plastic)

bright chrome-plated

→ 115.660.JQ.1 (plastic)

→ 115.660.DW.1 (plastic)

matt chrome***

MAMBO





→ 115.758.KJ.5 (plastic) white/bright chrome



→ 115.758.JT.5 (plastic) white matt/bright chr***



→ 115.758.KK.5 (plastic) white/gold-plated



white matt





→ 115.751.00.1 * (stainless steel) stainless steel brushed

Stop-and-go flush

→ 115.758.JQ.5 (plastic)



black

black/bright chrome



black matt/bright chr***



→ 115.787.SN.5 * (stainless steel)




→ 115.890.SN.6 ** (stainless steel)

stainless steel brushed/pol/br



SIGMA10 ROUND Stop-and-go flush



SIGMA10 SQUARE



→ 115.893.KJ.1* (die-cast zinc) white/bright chrome



→ 115.893.JT.1* (die-cast zinc)

white matt/bright chr ***

→ 115.907.KK.6 (plastic) white/gold-plated



→ 115.893.KX.1* (die-cast zinc) → 115.907.KL.6 (plastic) chrome brushed/bright chr



bright chrome/chr brushed bright chrome/matt chr



bright chrome/matt chr



black matt/bright chr ***



→ 115.758.KM.5 (plastic)



→ 115.758.14.5 (plastic)



stainless steel brushed/pol/br



→ 115.890.DW.6 mains **

SIGMA10 IR ROUND Touchless, electronic

• 246 mm x 164 mm



SIGMA20 ROUND

246 mm x 164 mm

white/bright chrome

→ 115.882.JT.1 (plastic)

→ 115 882 KK 1 (plastic)

→ 115.882.KH.1 (plastic)

→ 115.882.JQ.1 (plastic)

→ 115.882.KM.1 (plastic)

black/bright chrome

→ 115.882.14.1 (plastic)

matt chr/bright chr***

bright chrome/matt chr

white/gold-plated

white matt/bright chr***

Dual flush

→ 115.907.KJ.6 (plastic) white/bright chrome





white/matt chrome



→ 115.907.JQ.6 (plastic) matt chrome-coated/bright chrome-plated ***



→ 115.907.KM.6 (plastic) black/bright chrome



→ 115.867.16.6 * mains

→ 115.869.16.6 battery

→ 115.863.16.6 * mains

matt chrome black***

→ 115.906.DW.6 * mains

→ 115.907.DW.6 mains

(stainless steel)

black/matt black

(stainless steel)

stainless steel black matt ***

→ 115.906.SN.6 * (stainless steel) → 115 907 SN 6 (stainless steel) stainless steel brushed/pol/br



 \rightarrow 115.882.SN.1 (stainl. steel) \rightarrow 115.883.DW.1 (plastic) → 115.889.SN.1 * (stainl. steel) black/black gloss/black stainless steel



→ 115.882.11.1 (plastic) white/white gloss











white/gold-plated

→ 115.883.11.1 (plastic)

white/white gloss/white

→ 115.883.01.1 (plastic)

black/bright chrome

→ 115.883.14.1 (plastic)


black matt/bright chr ***

white/white matt/white ***















white




















SIGMA80 SQUARE

247 mm x 164 mm

Illuminated

· Dual flush, touchless, electronic









reflective glass

SIGMA70 SQUARE Dual flush • 250 mm x 145 mm

→ 115.622.SI.1 (glass)

white glass

SIGMA40 SQUARE Dual flush 246 mm x 152 mm



→ 115.629.JL.1 (glass)

brushed chrome***

→ 115.629.SJ.1 (glass)

black matt***

black chrome

→ 115.629.JK.1 (glass)

sand grey




























00

sand grey

→ 115.884.JL.1 (glass)

→ 115.884.JK.1 (glass)

SIGMA50 ROUND

• 246 mm x 164 mm

red gold

 $\rightarrow \ 115.884.SI.1 \qquad \rightarrow \ 115.650.SI.1 \qquad \rightarrow \ 115.651.SI.1 \qquad \rightarrow \ 115.652.SI.1$

→ 115.884.JV.1 → 115.650.JV.1 → 115.651.JV.1 → 115.652.JV.1

→ 115.884.JX.1 → 115.650.JX.1 → 115.651.JX.1 → 115.652.JX.1

→ 115.884.JM.1 → 115.650.JM.1 → 115.651.JM.1 → 115.652.JM.1

ightarrow 115.884.00.1 ightarrow 115.650.00.1 ightarrow 115.652.00.1 ightarrow 115.652.00.1

Dual flush





(plastic)













smoked glass reflective



→ 115.788.JK.2 (glass)

lava

SIGMA50 SQUARE

 Dual flush 246 mm x 164 mn

black chrome ightarrow 115.788.11.2 ightarrow 115.670.11.2 ightarrow 115.672.11.2 ightarrow 115.672.11.2













→ 115.672.QF.2

8







OMEGA20 ROUND

• 212 mm x 142 mm

→ 115.085.KJ.1 (plastic)

→ 115 085 KK 1 (plastic)

→ 115.085.01.1 (plastic)

→ 115.085.KH.1 (plastic)

→ 115.085.JT.1 (plastic)

→ 115.085.KM.1 (plastic)

black/bright chrome

chrome-plated ***

white matt coated/bright

bright chr/matt chr

white matt coated/white***

white/gold-plated

white/bright chrome

Dual flush

OMEGA20 SQUARE

• 212 mm x 142 mm

→ 115.080.KJ.1 (plastic)

white/bright chrome

→ 115 080 KK 1 (plastic)

→ 115.080.JT.1 (plastic)

→ 115.080.KH.1 (plastic)

→ 115 080 01 1 (plastic)

→ 115.080.KM.1 (plastic)

→ 115.080.JQ.1 (plastic)

matt chr/bright chr***

→ 115.080.14.1 (plastic)

chrome-plated***

black matt coated/bright

black/bright chrome

white matt coated/white***

bright chr/matt chr

chrome-plated***

white matt coated/bright

white/gold-plated

Dual flush

OMEGA60 SQUARE

• 184 mm x 114 mm

Even with the surface

Dual flush

→ 115.081.SI.1

→ 115.081.GH.1

(die-cast zinc)

→ 115.081.JL.1

→ 115.081.JK.1

→ 115.081.SJ.1

(die-cast zinc, glass) black glass

(die-cast zinc, glass)

sand grey

(die-cast zinc, glass)

brushed chrome

white glass

(die-cast zinc, glass)



→ 115 085 111 (plastic)

→ 115.085.16.1 (plastic)

black matt coated/black ***

white/matt white







→ 115.080.DW.1 (plastic)

Learn more about the Geberit product range and

black/matt black

visit our actuator plate configurator at

→ www.geberit-global.com/showroom











ALPHA01 ROUND

• 213 mm x 142 mm

→ 115.035.11.1 (plastic)

Dual flush

white alpine

bright chrome

red gold

brass

ALPHA25 ROUND

white alpine

bright chrome

→ 115.035.21.1 (plastic)





ALPHA01 SQUARE

→ 115.055.11.1 (plastic)

→ 115 055 211 (plastic)

bright chrome

white alpine

213 mm x 142 mm

Dual flush













→ 115.045.46.5 (plastic) → 115.040.46.5 (plastic) matt chrome matt chrome




→ 115.060.11.1 (plastic) white alpine

→ 115.060.DW.1 (plastic)



GEBERIT CONCEALED SOLUTIONS

THE TRADITION OF HIDING CISTERNS





EVENTFUL HISTORY
Geberit has more than 60 years experience in the field of concealed cisterns. Since 1964
Geberit is working on product improvement and has constantly developed the quality and functionality of the cisterns.



TRIED AND TRUSTED

The Geberit concealed cisterns have beer installed worldwide, millions of times.





INNOVATIVE AND FUNCTIONAL DESIGN
Actuator plates are available in an easy-to-clean
coated option, in a vandal-proof, screwable
version and almost all Sigma actuator plates can
be combined with an odour extraction unit.



WITHSTANDING HEAVY LOAD
The Geberit wall-hung solutions are designed a
tested to withstand weights of 400 kg.





OPENING SPACE
As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution offers more freedom in your





PREMIUM QUALITY

All products from Geberit are known for their very high reliability and durability. Proven Swiss technology for decades.





of the concealed distern, except for electronic product functions (e.g. DuoFresh)



DIGITAL HELPERS


Easy planning with Geberit BIM data and
ProPlanner. Recognising older products with th
Pro App and directly ordering spare parts.











REASONS FOR WALL-HUNG CONCEALED SOLUTIONS

THE CONCEALED ADVANTAGES




SUSTAINABLE

A wall-hung solution needs much less cleaning agent than a floor-standing toilet. You are saving money and you are protecting the environment.



HYGIENIC

A floor-standing toilet with an exposed cistern offers much more space that has to be cleaned than a wall-hung concealed solution. The latter has far less corners or edges where dirt, dust and hair can get stuck. Germs have nowhere to hide.





TIME-SAVING

More hygienic does not mean that you need more time for cleaning the bathroom. On the contrary: with a wall-hung solution you clean the toilet much factor.



CONCLUSION


Saving material and time for cleaning means: you save money. Especially in public and semipublic areas like hotels or office buildings this is important

GEBERIT SIGMA CISTERNS

TOUCHING DESIGN

The Geberit Sigma concealed cisterns not only offer numerous installation possibilities, but also the widest range of stylish actuator plates. Be it for single flush, dual flush or stop-and-go flush, mechanical, pneumatic, hydraulic or









FUNCTIONAL BEAUTY

With Geberit Sigma cisterns not only style moves into your bathroom, but also functionality. With a prewall construction you gain space for cosmetics or other bathroom items. Another possibility to give your bathroom a personal touch.







GEBERIT DUOFRESH

What is standard in kitchens should also be introduced to bathrooms. The Geberit DuoFresh module provides a slot for a ceramic honeycomb filter and an orientation light that is triggered by a motion sensor. The module is easily installed and can be equipped with almost any actuator plate from the Sigma range.



It's as simple as this:

Just open the actuator plate at the side.



Insert the filter in the slot.



Close the actuator plate and enjoy the fresh air in your bathroom.



↑

Geberit Smyle WC ceramic, Geberit actuator
plate Sigma50 square with DuoFresh

Geberit DuoFresh removes unpleasant odours right at the source. A ceramic comb filter purifies the air thouroughly and a fan conveys the cleaned air back into the room. An additional benefit offers a built-in LED orientation light. Just below the actuator plate a soft glow will guide you the way to the WC at night.



ACCESSIBLE

The ceramic honeycomb filter can be easily accessed via the actuator plate.



VISIBL

An orientation light helps you at night to find your



. EFFICIEN

The air is purified by the ceramic honeycomb filter.



QUIE

A quiet fan conveys the purified air back into the room.



GEBERIT SIGMA SPECIAL SOLUTIONS

EASILY ACCESSIBLE

The Geberit installation elements offer solutions to almost any construction situation. In public areas, in healthcare, in hotels or even in private bathrooms the request for barrierfree applications can be covered with the Geberit Duofix element with a Sigma cistern and various WC ceramics with an extra long projection.



111.350.00.6
Geberit Duofix element for a barrier-free solution. The frame-width is reduced for the placement of support handles next to the element.



111.790.00.1 Geberit Duofix element with mounting plate for support handles.



Another special feature of the Geberit concealed cisterns is the tool-free maintenance.

OPTIONS WITH GEBERIT SIGMA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS / Duofix System compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×	×	×			



GEBERIT OMEGA CISTERNS

SMALL AND POWERFUL




FREEDOM OF PLACE

If you want to have a clean front view, Geberit
Omega is offering the solution. Geberit Omega

SMALL ACTUATORS

Beautifully designed small, elegant actuator plates: Omega20, Omega30 and the surface-even Omega60. Available in different styles and high-end materials.



Omega20 round black / bright chrom



Omega20 square matt chrome / bright chrome (art.no. 115.080.JQ.1)




Omega60 square white glass art.no. 115.081.Sl.1)



GEBERIT OMEGA CISTERNS FOR LOW HEIGHTS

SOLUTION PROVIDER IN NARROW SPOTS

Geberit Omega opens up unexpected opportunities when it comes to the design of your bathroom. Having the freedom of choice to install a top or a front actuation, there are no borders anymore to your creativity in bathroom design and the implementation of your ideas. Bottle-necks such as installations under windows and roof-pitches are elegantly mastered.





THREE CISTERN HEIGHTS

The Geberit Omega concealed cistern can be installed at a height of 82 cm, 98 cm and 112 cm. No matter what installation height: the flush performance is outstanding. All the Omega cisterns come with a water-saving dual flush system.

FIT FOR ALMOST EVERY PREWALL

With a minimum depth of 12 to 14 cm for the front actuation (depending on the chosen element) and a minimum depth of 17 cm for the top actuation, the Geberit Omega concealed cistern fits into nearly any prewall. It can be connected to the water supply from the rear as well as from the side. Installing the cistern and mounting the actuator plate can both be completed without special tools.



TOP OR FRONT - THAT IS THE QUESTION

Depending on the construction situation, the actuator plate can be installed on the top or front of the cistern. Whatever your bathroom looks like, you have the choice. The Omega cisterns are designed in such a way that both options can be chosen freely. The Geberit Omega cisterns can be serviced without tools. This makes maintenance as easy as pie.

OPTIONS WITH GEBERIT OMEGA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×	×	×			

GEBERIT ALPHA CISTERNS

STRIKING SIMPLICITY

Geberit Alpha concealed cisterns are offering a reduced scope of options but are nonetheless standing for high quality and reliability. The cisterns can be installed in either brick walls or drywalls. For standard bathroom requirements the perfect match

Geberit Alpha actuator plates come in five designs in eight different colours. They are all made of high quality plastic.



Alpha01 round brass



Alpha25 round white alpine (art.no. 115.040.11.1)



Alpha01 square red gold (art.no. 115.055.QA.1)



Alpha25 square matt chrome (art.no. 115.045.46.1)



Alpha50 square black (art.no. 115.060.DW.1)



GEBERIT ALPHA CISTERNS

THE NEXT GENERATION

Geberit Alpha concealed cisterns cover all needs for all sorts of installation situations. Be it narrow walls, low heights or standard applications. The cisterns and frames have been improved and the application fields have been widened.



TWO CISTERN HEIGHTS

The Geberit Alpha concealed cistern can be installed at a height of 82 cm and 112 cm. All the Alpha cisterns come with a water-saving dual flush system.



TOP OR FRONT ACTUATIONFor low heights there is the option of choosing top actuation.

OPTIONS WITH GEBERIT ALPHA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×	×	×			













THE APPEARANCE IN FRONT OF THE WALL

THE PERFECT MATCH

GEBERIT SIGMA



A few suggestions to help you finding the perfect ceramic match for Geberit Sigma and Omega, that are suitable for almost any

















GEBERIT OMEGA





Geberit Alpha is a suitable solution for your project business and for price-sensitive building. Here a few suggestions to combine the matching ceramics.





GEBERIT ALPHA




Geberit actuator plate Alpha01 square, Geberit Senya WC and washbasin ceramic, Geberit Option mirror, Geberit Cleanline (fileable)



AT ONE GLANCE

Geberit concealed cisterns


- Available in various dimensions and suitable for any construction situation.
- All models are equipped with a high-end flush valve and a top silent fill valve, exceeding Sound Class 1 requirements.
- Easy maintenance at any time through a service opening.
- Exceptional spare part securityfor all function-maintaining components for 50 years.



Whether it be under windows or sloping roofs, in a corner or on a free-standing wall, systems and products from Geberit give you practically unlimited possibilities.


Installations behind the wall lend elegance and increased space; part-height prewall installations offer additional storage possibilities.


SOLID WALL INSTALLATION



Geberit Kombifix installation elements are exclusively suitable for solid construction. They must be fastened in front of or inside a solid wall and then subsequently brick lined.

DRYWALL INSTALLATION





Geberit Duofix installation elements are suitable for all drywall construction situations with a drywall system. It is possible to create complete roomheight prewalls or partition walls.

GEBERIT SIGMA

AT ONE GLANCE






















Article number	111.900.00.6	111.950.00.6	111.350.00.6	111.796.00.2		10.350.00.5 10.340.00.5*	110.792.00.1	109.300.00.5**	109.791.00.1**
Cistern thickness***	12 cm	12 cm	17 cm	8 cm	·	12 cm	8 cm	12 cm	8 cm
Cistern height	112 cm	112 cm	112 cm	114 cm		108 cm	109 cm	108 cm	119 cm
For solid construction	×	×	×	×		×	×	×	×
For drywall construction	×	×	×	×					
Wall-hung-ready (fixation for wall-hung ceramic included)	×	×	×	×		×	×		
For top actuation									
With conduit pipe for Geberit AquaClean	×	×	×	×		×	×		
Electrical and communication box	×								
Tool-free maintenance	×	×	X	×		×	×	×	×
Barrier-free solution	×	×	×	×					

Dimension









^{*} With leg supports

^{**} Can be cut to length

^{***} Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

GEBERIT OMEGA

AT ONE GLANCE























Article number	111.060.00.2	111.030.00.2	111.003.00.2	110.020.00.1	110.011.00.1	110.001.00.1	109.060.00.1	109.050.00.1	109.043.00.1
Cistern thickness*	12 cm								
Cistern height	112 cm	98 cm	82 cm	106 cm	98 cm	82 cm	106 cm	98 cm	82 cm
For solid construction	×	×	×	×	×	×	×	×	X
For drywall construction	×	×	×						
Wall-hung-ready (fixation for wall-hung ceramic included)	×	×	×	×	×	×			
For top actuation		×	×		×	×		×	×
With conduit pipe for Geberit AquaClean	×	×	×	×	×	×			
Tool-free maintenance	×	X	×	×	×	×	×	×	×
Barrier-free solution	×	×	×						


Dimensions























^{*} Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

GEBERIT ALPHA AT ONE GLANCE





















Article number	458.233.00.3	458.212.00.2	110.233.00.1 110.231.00.1*	109.212.00.1	110.175.00.1 110.174.00.1*	109.233.00.1**	109.212.00.1	109.175.00.1**
Cistern thickness***	12 cm	12 cm	12 cm	12 cm	8 cm	12 cm	12 cm	8 cm
Cistern height	112 cm	82 cm	106 cm	82 cm	109 cm	110 cm	82 cm	110 cm
For solid construction	x	Х	X	Х	×	X	х	х
For drywall construction	х	x						
Wall-hung-ready (fixation for wall-hung ceramic included)	х	Х	X	х	Х			
For top and front actuation		X		Х			×	


Dimension




















^{*} With leg supports

^{**} Can be cut to length

^{***} Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

Geberit International Sales AG CH-8640 Rapperswil Switzerland

sales@geberit.com

www.geberit-global.com