

■ GEBERIT

GEBERIT CONCEALED  
CISTERNS

# COVERT AFFAIRS

SOUTH EAST EUROPE

DESIGN  
MEETS  
FUNCTION

# WHERE TWO WORLDS CONNECT

When you trigger an actuator plate you push the point where design meets function. Behind every Geberit actuator plate you find a Geberit concealed cistern. Find out more about their fields of application, advantages and technical details.



ACTUATOR PLATES    CONCEALED CISTERNS    GEBERIT SIGMA    GEBERIT OMEGA    GEBERIT DELTA

## CONTENT

<b>GEBERIT ACTUATOR PLATES OVERVIEW</b>	05
What you see is what you get. The Geberit actuators are the only part of the concealed cisterns that you see and touch several times a day. Find the applications and an overview.	
<b>INTRODUCTION TO THE GEBERIT CONCEALED CISTERNS</b>	10
There is a long history behind the Geberit concealed cisterns. Find out more about the background and the advantages.	
<b>GEBERIT SIGMA CISTERNS</b>	14
Geberit Sigma cisterns are providing a lot of possibilities for high-class design in your bathroom.	
<b>GEBERIT OMEGA CISTERNS</b>	22
Geberit Omega cisterns offer solutions for low height applications.	
<b>GEBERIT DELTA CISTERNS</b>	26
Geberit Delta cisterns are offering an option for smaller budgets	
<b>THE PERFECT MATCH</b>	30
Recommendations for your bathroom	
<b>TECHNICAL INFORMATION</b>	36
When do you install which cistern?	
<b>OVERVIEW OF ALL CISTERNS</b>	38

## GEBERIT ACTUATORS FOR EVERY APPLICATION TRIGGER POINTS


The Geberit actuator plates not only come in a large variety of designs, but also for every application. Be it at home, in a semi-public place like a hospital, or in a public place with a high traffic like e.g. an airport: there is an actuator plate for every requirement.



**FEEL AT HOME**  
For the bathroom at home all options are available: there is a vast variety of designs to choose from, single flush, dual flush or stop-and-go flush. Even touchless solutions might be interesting, depending on your needs and bathroom design.



**SEMI-PUBLIC SOLUTIONS**  
For hotels, restaurants or hospitals there are a lot of touchless actuators available that even offer a dual flush system, helping you saving water. Of course all aspects of hygienic requirements are covered.



**HIGH-TRAFFIC PUBLIC PLACES**  
If you run a public toilet at a train station, an airport or in a night-club, you go for the vandal-proof actuators made of stainless steel. The infrared steered actuators that offer a single flush, cleaning automatically after every use, should also be in the centre of attention.



**SIGMA01**  
• Dual flush  
• 246 mm x 164 mm



→ 115.770.11.5 (plastic)  
**white**



→ 115.770.21.5 (plastic)  
**bright chrome**



→ 115.770.JQ.5 (plastic)  
**matt chrome\*\*\***



→ 115.770.KA.5 (plastic)  
**bright chrome/matt chrome**



→ 115.770.DW.5 (plastic)  
**black**



→ 115.770.DT.5 (plastic)  
**special brass galvanized**




→ 115.770.LB.5 (plastic)  
**white / ultramarine blue / coral red**



→ 115.770.SX.5 (plastic)  
**white / ocean blue / light blue**



→ 115.770.79.5 (plastic)  
**white / forest green / light green**



→ 115.770.FY.5 (plastic)  
**white / carmine red / orange**



→ 115.770.LA.5 (plastic)  
**white / traffic yellow / yellow green**

\* vandal-resistant, screwable  
\*\* vandal-resistant, with electronic dual flush and manual override  
\*\*\* easy-to-clean coated  
\*\*\*\* The colour and structure of natural products may vary

**SIGMA01**  
• Dual flush  
• 246 mm x 164 mm



→ 115.660.11.1 (plastic)  
**white**



→ 115.660.21.1 (plastic)  
**bright chrome**



→ 115.660.JQ.1 (plastic)  
**matt chrome\*\*\***



→ 115.660.DW.1 (plastic)  
**black**



→ 115.758.KK.5 (plastic)  
**white/gold-coloured**



→ 115.758.KH.5 (plastic)  
**bright chrome/matt chr**



→ 115.758.JQ.5 (plastic)  
**matt chrome/bright chr\*\*\***



→ 115.758.16.5 (plastic)  
**black**



→ 115.758.KM.5 (plastic)  
**black/bright chrome**




→ 115.758.14.5 (plastic)  
**black/matt/bright chr\*\*\***



→ 115.758.SN.5  
→ 115.787.SN.5 \*  
(stainless steel)  
**stainless steel brushed/polished**



→ 115.890.SN.6 \*\*  
(stainless steel)  
**stainless steel brushed/polished**



→ 115.890.DW.6 mains \*\*  
(stainless steel)  
**black/matt black**

**SIGMA10**  
• Stop-and-go flush  
• 246 mm x 164 mm



→ 115.758.01.5 (plastic)  
**white matt**



→ 115.758.KJ.5 (plastic)  
**white/bright chrome**



→ 115.758.JT.5 (plastic)  
**white matt/bright chr\*\*\***



→ 115.758.KK.5 (plastic)  
**white/gold**



→ 115.758.KH.5 (plastic)  
**bright chrome/matt chr**



→ 115.758.KH.5 (plastic)  
**bright chrome/matt chr**



→ 115.893.45.1\* (die-cast zinc)  
**gold-plated**




→ 115.751.00.1 \*  
(stainless steel)  
**stainless steel brushed**




→ 115.863.16.6 \* mains  
(stainless steel)  
**matt chrome black\*\*\***




→ 115.869.16.6 battery  
(stainless steel)  
**stainless steel black matt\*\*\***



→ 115.867.16.6 \* mains  
(stainless steel)  
**stainless steel black matt\*\*\***



→ 115.869.16.6 battery  
(stainless steel)  
**stainless steel black matt\*\*\***



→ 115.867.16.6 \* mains  
(stainless steel)  
**stainless steel black matt\*\*\***

**SIGMA10**  
• Stop-and-go flush  
• 246 mm x 164 mm



→ 115.893.KJ.1\* (die-cast zinc)  
**white/bright chrome**




→ 115.893.JT.1\* (die-cast zinc)  
**white matt/bright chr\*\*\***



→ 115.893.KY.1\* (die-cast zinc)  
**bright chrome/chr brushed**




→ 115.893.KX.1\* (die-cast zinc)  
**chrome brushed/bright chr**



→ 115.893.14.1\* (die-cast zinc)  
**black matt/bright chr\*\*\***



→ 115.893.45.1\* (die-cast zinc)  
**gold-plated**



→ 115.893.14.1\* (die-cast zinc)  
**black matt/bright chr\*\*\***



→ 115.893.14.1\* (die-cast zinc)  
**black matt/bright chr\*\*\***



→ 115.893.14.1\* (die-cast zinc)  
**black matt/bright chr\*\*\***



→ 115.893.14.1\* (die-cast zinc)  
**black matt/bright chr\*\*\***



→ 115.893.14.1\* (die-cast zinc)  
**black matt/bright chr\*\*\***



→ 115.893.14.1\* (die-cast zinc)  
**black matt/bright chr\*\*\***



→ 115.893.14.1\* (die-cast zinc)  
**black matt/bright chr\*\*\***

**SIGMA10 IR**  
• Touchless, electronic  
• 246 mm x 164 mm



→ 115.907.KJ.6 (plastic)  
**white/bright chrome**



→ 115.907.KK.6 (plastic)  
**white/gold**



→ 115.907.KH.6 (plastic)  
**bright chrome/matt chr**




→ 115.907.JQ.6 (plastic)  
**matt chrome-coated/bright chrome\*\*\***




→ 115.907.KM.6 (plastic)  
**black/bright chrome**




→ 115.906.DW.6 \* mains  
→ 115.907.DW.6 mains  
(stainless steel)  
**black/matt black**




→ 115.906.DW.6 \* mains  
→ 115.907.DW.6 mains  
(stainless steel)  
**black/matt black**



→ 115.906.DW.6 \* mains  
→ 115.907.DW.6 mains  
(stainless steel)  
**black/matt black**




→ 115.906.DW.6 \* mains  
→ 115.907.DW.6 mains  
(stainless steel)  
**black/matt black**



→ 115.906.DW.6 \* mains  
→ 115.907.DW.6 mains  
(stainless steel)  
**black/matt black**



→ 115.906.DW.6 \* mains  
→ 115.907.DW.6 mains  
(stainless steel)  
**black/matt black**



→ 115.906.DW.6 \* mains  
→ 115.907.DW.6 mains  
(stainless steel)  
**black/matt black**



→ 115.906.DW.6 \* mains  
→ 115.907.DW.6 mains  
(stainless steel)  
**black/matt black**

**SIGMA20**  
• Dual flush  
• 246 mm x 164 mm



→ 115.882.11.1 (plastic)  
**white/white gloss**



→ 115.882.01.1 (plastic)  
**white matt/white\*\*\***



→ 115.882.KJ.1 (plastic)  
**white/bright chrome**



→ 115.882.JT.1 (plastic)  
**white matt/bright chr\*\*\***



→ 115.882.KK.1 (plastic)  
**white/gold**



→ 115.882.KH.1 (plastic)  
**bright chrome/matt chr**



→ 115.882.JQ.1 (plastic)  
**matt chr/bright chr\*\*\***



→ 115.882.JK.1 (plastic)  
**black matt**



→ 115.882.DW.1 (plastic)  
**black/matt black**




→ 115.882.16.1 (plastic)  
**black matt/black\*\*\***



→ 115.882.KM.1 (plastic)  
**black/bright chrome**



→ 115.882.14.1 (plastic)  
**black matt/bright chr\*\*\***



→ 115.882.SN.1 (stainl. steel)  
→ 115.889.SN.1 \* (stainl. steel)  
**stainless steel brushed/pol/br**

**SIGMA20**  
• Dual flush  
• 246 mm x 164 mm



→ 115.883.11.1 (plastic)  
**white/white gloss/white**



→ 115.883.01.1 (plastic)  
**white matt/white\*\*\***



→ 115.883.KJ.1 (plastic)  
**white/bright chrome**



→ 115.883.JT.1 (plastic)  
**white matt/bright chr\*\*\***



→ 115.883.KK.1 (plastic)  
**white/gold**



→ 115.883.KH.1 (plastic)  
**bright chr/matt chr**



→ 115.883.JQ.1 (plastic)  
**matt chr/bright chr\*\*\***



→ 115.883.DW.1 (plastic)  
**black/black gloss/black**



→ 115.883.16.1 (plastic)  
**black/black matt/black\*\*\***



→ 115.883.KM.1 (plastic)  
**black/bright chrome**



→ 115.883.14.1 (plastic)  
**black matt/bright chr\*\*\***



→ 115.883.14.1 (plastic)  
**black matt/bright chr\*\*\***



→ 115.883.14.1 (plastic)  
**black matt/bright chr\*\*\***

**SIGMA40**  
• Dual flush  
• 246 mm x 152 mm



→ 115.628.SI.1 (glass)  
**white**



→ 115.628.JT.1 (stainl. steel)  
**white matt painted**



→ 115.628.JL.1 (glass)  
**sand grey**



→ 115.628.FW.1 (stainl. steel)  
**brushed chrome**



→ 115.628.ID.1 (stainl. steel)  
**nickel brushed\*\*\***



→ 115.628.SJ.1 (glass)  
**black**



→ 115.628.14.1 (stainl. steel)  
**black matt**




→ 115.628.JK.1 (glass)  
**lava**



→ 115.628.QD.1 (stainl. steel)  
**black chrome**




→ 115.628.QB.1 (stainl. steel)  
**red gold**



→ 115.628.QF.1 (stainl. steel)  
**brass**



→ 115.628.QB.1 (stainl. steel)  
**red gold**



→ 115.628.QF.1 (stainl. steel)  
**brass**

**SIGMA40**  
• Dual flush  
• 246 mm x 152 mm



→ 115.629.SI.1 (glass)  
**white**



→ 115.629.JT.1 (stainl. steel)  
**white matt painted**



The Geberit actuator plate is the only part you see of the concealed cistern. It is a piece of design, a decoration item for your bathroom. At the same time it is functional and easy to clean. Whatever needs you have – there is the correct actuator plate. Choose from a wide variety of designs and materials.


**OPTIONS WITH GEBERIT ACTUATORS:**

	front actuation	top actuation	touchless actuators	slim design	customised surface	dual flush	stop-and-go flush	metal	glass	plastic	natural surfaces	surface-even	vandal-resistant options	illuminated buttons	odour extraction	easy-to-clean coated
Geberit Sigma	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Geberit Omega	x	x				x	x	x	x	x	x					x
Geberit Delta	x					x	x			x						

GEBERIT CONCEALED SOLUTIONS

# THE TRADITION OF HIDING CISTERNS

In solid and drywall construction, the Geberit concealed cistern is the heart of millions of concealed installations in bathrooms. Every detail of this product is ingenious and has been proven a million times over. Plumbers and endusers have trusted the one-piece leak-proof cisterns from Geberit for more than 60 years.



>60

**EVENTFUL HISTORY**

Geberit has more than 60 years experience in the field of concealed cisterns. Since 1964 Geberit is working on product improvement and has constantly developed the quality and functionality of the cisterns.



**TRIED AND TRUSTED**

The Geberit concealed cisterns have been installed worldwide, millions of times.



**BEAUTIFUL DESIGN**

A concealed solution with a wall-hung WC and beautiful actuator plates offers a lot of design options for your bathroom.



**INNOVATIVE AND FUNCTIONAL DESIGN**

Actuator plates are available in an easy-to-clean coated option, in a vandal-proof, screwable version and almost all Sigma actuator plates can be combined with an odour extraction unit.



**WITHSTANDING HEAVY LOAD**

The Geberit wall-hung solutions are designed and tested to withstand weights of 400 kg.



**SAVING WATER**

The water consumption can be sustainably reduced with a Geberit dual flush actuation for the WC.



**OPENING SPACE**

As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution offers more freedom in your bathroom.



**EASY TO CLEAN**

The fewer edges, joints and corners, the simpler to clean and more hygienic.

★★★

**PREMIUM QUALITY**

All products from Geberit are known for their very high reliability and durability. Proven Swiss technology for decades.



**LEAKPROOF**

Every single cistern one-piece blow-mould and is tested on its leak-tightness before it is leaving the factory.

50

**50 YEARS SPARE PARTS AVAILABILITY**  
Geberit guarantees 50 years spare parts availability, on all replaceable mechanical parts of the concealed cistern, except for electronic product functions (e.g. DuoFresh)



**DIGITAL HELPERS**

Easy planning with Geberit BIM data. Recognising older products with the Pro App and directly ordering spare parts.



**INSTALLATION SYSTEMS**

Available for all Geberit installation systems: DuoFix, GIS and Kombifix.



**ELECTRIC CONNECTION**

The cisterns are prepared for a hidden or visible electric connection in case you want to upgrade your WC.



**GEBERIT AQUACLEAN SHOWER TOILETS**

Perfectly prepared for the installation of Geberit shower toilets with innovative comfort-functions.



**HYDRAULIC KNOW-HOW**

Optimised hydraulics for a perfect wash-out of Geberit WC ceramics, with water-saving flushing.



REASONS FOR WALL-HUNG CONCEALED SOLUTIONS

# THE CONCEALED ADVANTAGES




## SUSTAINABLE

A wall-hung solution needs much less cleaning agent than a floor-standing toilet. You are saving money and you are protecting the environment.



## HYGIENIC

A floor-standing toilet with an exposed cistern offers much more space that has to be cleaned than a wall-hung concealed solution. The latter has far less corners or edges where dirt, dust and hair can get stuck. Germs have nowhere to hide.



## TIME-SAVING

More hygienic does not mean that you need more time for cleaning the bathroom. On the contrary: with a wall-hung solution you clean the toilet much faster.



## CONCLUSION

Saving material and time for cleaning means: you save money. Especially in public and semi-public areas like hotels or office buildings this is important.

# GEBERIT SIGMA CISTERNS AND ACTUATOR PLATES


## TOUCHING DESIGN

### STYLISH CALLING CARDS


The Geberit Sigma concealed cisterns not only offer numerous installation possibilities, but also the widest range of stylish actuator plates. Be it for single flush, dual flush or stop-and-go flush, mechanical, pneumatic, hydraulic or touchless actuation.



Sigma50 red gold / slate (art.no 115.670.JM.2)



Sigma40 red gold (art.no. 115.628.QB.1)



Sigma80 black glass (art.no. 116.090.SG.1)



Geberit ONE WC ceramic (500.202.01.1), Geberit Sigma50 actuator plate, Geberit wall drain

### FUNCTIONAL BEAUTY

With Geberit Sigma cisterns not only style moves into your bathroom, but also functionality. With a prewall construction you gain space for cosmetics or other bathroom items. Another possibility to give your bathroom a personal touch.

### CUSTOMER-SPECIFIC FINISH

When taps and actuator plates are perfectly coordinated, they open up entirely new dimensions in bathroom design. Customer-specific finishes allow Geberit Sigma40 actuator plates and Type 40 urinal flush controls to blend seamlessly with the overall aesthetic of bathroom fittings from leading manufacturers. The wide variety of colours on offer creates endless possibilities for on-trend bathroom design. Perfectly coordinated down to the last detail - from the WC to the washbasin to the urinal.



Perfectly coordinated surface finishes for WC and urinal actuator plates create a harmonious, streamlined look in the bathroom.

More on customer-specific surface finishes at:  
[www.geberit-global.com/customer-specific-finish](http://www.geberit-global.com/customer-specific-finish)



GEBERIT SIGMA UPGRADES

# ADD THE ELEMENT WATER

## GEBERIT AQUACLEAN

Modern shower toilets are hardly to be recognised as such at first glance. Geberit offers diverse AquaClean WC models with a lot of features to choose from. If you do not want to remove the existing WC ceramic, there is the possibility to add an AquaClean seat as an enhancement solution.



**ODOUR EXTRACTION UNIT**  
Unpleasant odours are absorbed at once in the odour extraction unit. An active carbon filter eliminates odours before they spread. It starts automatically as soon as you sit down.



**WHIRLSPRAY SHOWER TECHNOLOGY**  
The patented WhirlSpray technology enables a particularly direct and thorough cleaning. The reason for this is a pulsating shower spray refined through dynamic aeration.



**DRYER**  
The dryer arm aligns itself automatically for optimum drying at the last position of the spray arm.



**HEATING THE WC SEAT**  
The ergonomically optimised WC seat made of high-quality thermoset is equipped with an integrated heating element. Thanks to the proximity sensor, the WC seat waits until someone approaches before heating up.



Geberit AquaClean Mera (146.210.21.1),  
Geberit Sigma50 actuator plate,  
Geberit One washbasin and furniture,  
Geberit One mirror cabinet, Geberit One  
wall-mounted tap

# GEBERIT SIGMA UPGRADES ADD THE ELEMENT AIR

## GEBERIT DUOFRESH

What is standard in kitchens should also be introduced to bathrooms. The Geberit DuoFresh module provides a slot for a ceramic honeycomb filter and an orientation light that is triggered by a motion sensor. The module is easily installed and can be equipped with almost any actuator plate from the Sigma range.



↑  
It's as simple as this:  
Just open the actuator plate at the side.



↑  
Insert the filter in the slot.



↑  
Close the actuator plate and enjoy the fresh air in your bathroom.



↑  
Geberit Smyle WC ceramic (500.683.01),  
Geberit actuator plate Sigma50 with  
DuoFresh module.

Geberit DuoFresh removes unpleasant odours right at the source. A ceramic comb filter purifies the air thoroughly and a fan conveys the cleaned air back into the room. An additional benefit offers a built-in LED orientation light. Just below the actuator plate a soft glow will guide you the way to the WC at night.



### ACCESSIBLE

The ceramic honeycomb filter can be easily accessed via the actuator plate.



### VISIBLE

An orientation light helps you at night to find your way.




### EFFICIENT

The air is purified by the ceramic honeycomb filter.



### QUIET

A quiet fan conveys the purified air back into the room.



## GEBERIT SIGMA SPECIAL SOLUTIONS

# EASILY ACCESSIBLE

The Geberit installation elements offer solutions to almost any construction situation. In public areas, in healthcare, in hotels or even in private bathrooms the request for barrierfree applications can be covered with the Geberit Duofix element with a Sigma cistern and various WC ceramics with an extra long projection.



↑  
111.350.00.6  
Geberit Duofix element for a barrier-free solution. The frame-width is reduced for the placement of support handles next to the element.



↑  
111.790.00.1  
Geberit Duofix element with mounting plate for support handles.



↑  
Another special feature of the Geberit concealed cisterns is the tool-free maintenance.

### OPTIONS WITH GEBERIT SIGMA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS / Duofix System compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenance	odour extraction	AquaClean connection
<b>Geberit Sigma</b>	x	x	x	x	x			x	x	x
Geberit Omega	x	x	x		x	x	x	x		x
Geberit Delta	x	x			x					

Geberit Selnova WC ceramic with extra long projection (500.693.01.2), Geberit actuator plate Sigma10, Geberit Option mirror, Geberit Selnova Comfort washbasin, Geberit trap and shower drain.



# GEBERIT OMEGA CISTERNS AND ACTUATOR PLATES


## SMALL AND POWERFUL



Geberit Acanto WC ceramic (502.718.00.1),  
Geberit Omega01 actuator plate, top actuation  
with low height

### SMALL ACTUATORS

Beautifully designed small, elegant actuator plates: Omega01, Omega10, Omega20 and the surface-even Omega60. Available in different styles and high-end materials.



Omega01 brass brushed  
(art.no. 115.093.QF.1)



Omega20 matt chrome / bright chrome  
(art.no. 115.080.JQ.1)



Omega60 white glass  
(art.no. 115.081.SI.1)

### FREEDOM OF PLACE

If you want to have a clean front view, Geberit Omega is offering the solution. Geberit Omega cisterns can be activated from the top.



The Geberit Omega concealed cisterns are designed for low-height situations. But it is also a good choice if you just prefer a smaller size of the actuator plate.

Geberit AquaClean Mera (146.210.21.1),  
Geberit Omega60 actuator plate, front  
actuation with standard height, Geberit  
CleanLine60.

# GEBERIT OMEGA CISTERNS FOR LOW HEIGHTS SOLUTION PROVIDER IN NARROW SPOTS

Geberit Omega opens up unexpected opportunities when it comes to the design of your bathroom. Having the freedom of choice to install a top or a front actuation, there are no borders anymore to your creativity in bathroom design and the implementation of your ideas. Bottle-necks such as installations under windows and roof-pitches are elegantly mastered.



### THREE CISTERN HEIGHTS

The Geberit Omega concealed cistern can be installed at a height of 82 cm, 98 cm and 112 cm. No matter what installation height: the flush performance is outstanding. All the Omega cisterns come with a water-saving dual flush system.

### FIT FOR ALMOST EVERY PREWALL

With a minimum depth of 12 to 14 cm for the front actuation (depending on the chosen element) and a minimum depth of 17 cm for the top actuation, the Geberit Omega concealed cistern fits into nearly any prewall. It can be connected to the water supply from the rear as well as from the side. Installing the cistern and mounting the actuator plate can both be completed without special tools.



### TOP OR FRONT – THAT IS THE QUESTION

Depending on the construction situation, the actuator plate can be installed on the top or front of the cistern. Whatever your bathroom looks like, you have the choice. The Omega cisterns are designed in such a way that both options can be chosen freely. The Geberit Omega cisterns can be serviced without tools. This makes maintenance as easy as pie.

### OPTIONS WITH GEBERIT OMEGA CONCEALED CISTERNS:


	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenance	odour extraction	AquaClean connection
Geberit Sigma	x	x	x	x	x			x	x	x
<b>Geberit Omega</b>	<b>x</b>	<b>x</b>	<b>x</b>		<b>x</b>	<b>x</b>	<b>x</b>	<b>x</b>		<b>x</b>
Geberit Delta	x	x			x					

# GEBERIT DELTA CISTERNS AND ACTUATOR PLATES

## STRIKING **SIMPLICITY**

Geberit Delta concealed cisterns are offering a reduced scope of options but are nonetheless standing for high quality and reliability. The cisterns can be installed in either brick walls or drywalls. For standard bathroom requirements the perfect match.

Geberit Delta actuator plates come in six designs in five different colours. They are all made of high quality plastic and Delta10 ist made of stainless steel.



Delta01 white  
(art.no. 115.107.11.1)




Delta10 brushed stainless steel  
(art.no. 115.108.00.1)




Delta15 matt chrome  
(art.no. 115.109.46.1)



Delta20 bright chrome  
(art.no. 115.127.21.1)



Delta20 white  
(art.no. 115.137.11.1)



Delta50 black  
(art.no. 115.119.DW.1)

Geberit Delta50 actuator plate, Geberit Smyle WC (500.683.00.2), Geberit Smyle furniture, Geberit Smyle washbasin, Geberit Option mirror, Geberit magnetic board with storage boxes.



## GEBERIT DELTA CISTERNS

# QUALITY TO RELY ON

Geberit Delta concealed cisterns cover all needs for standard installation situations. Be it a dry-wall or a brick-wall construction, Geberit Delta offers the right solution.



### TWO CISTERN HEIGHTS

The Geberit Delta concealed cistern can be installed at a height of 108 cm and 112 cm. All the Delta cisterns come with a water-saving dual flush system.

Geberit Delta20 actuator plate, Geberit Selnova WC (501.751.00.), bidet and washbasin with full pedestal, Geberit Option mirror cabinet.



### OPTIONS WITH GEBERIT DELTA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenance	odour extraction	AquaClean connection
Geberit Sigma	x	x	x	x	x			x	x	x
Geberit Omega	x	x	x		x	x	x	x		x
<b>Geberit Delta</b>	<b>x</b>	<b>x</b>			<b>x</b>					



## GEBERIT SIGMA



Geberit actuator plate Sigma70, Geberit WC (503.046.JT) and bidet (501.898.00.1) iCon white matt. Geberit furniture iCon, Geberit lay-on washbasin white matt, Geberit Option mirror

## THE APPEARANCE IN FRONT OF THE WALL

# THE PERFECT MATCH

When you have defined the installation behind the wall, you take the next step and choose the ceramic appliances and the bathroom furniture. You are absolutely free to match every Geberit ceramic with every cistern.

Choose from a huge portfolio of Geberit WC and washbasin ceramics, perfectly aligned bathroom furniture designs, mirrors and other bathroom products that will help realising your own personal bathroom style.

A few suggestions to help you finding the perfect ceramic match for Geberit Sigma and Omega, that are suitable for almost any project type.



Geberit actuator plate Sigma50, Geberit AquaClean Sela (146.220.21.1)



Geberit actuator plate Sigma40, Geberit iCon WC ceramic with TurboFlush (503.046.JT)



## GEBERIT OMEGA



Geberit actuator plate Omega01 top actuation, Geberit Acanto WC ceramic (502.718.00.1)



Geberit actuator plate Omega01 front actuation, Geberit Acanto WC ceramic (502.718.00.1)

## BATHROOM PRODUCTS – THE PERFECT MATCH

Geberit Delta is a suitable solution for your project business and for price-sensitive building. Here a few suggestions to combine the matching ceramics.



## GEBERIT DELTA



Geberit actuator plate Delta20, Geberit Bastia WC and washbasin ceramic, Geberit Option basic square mirror

Geberit actuator plate Delta20, Geberit Smyle WC ceramic (500.683.01.1), washbasin with half pedestal, Geberit Option mirror.



Find more on our Geberit ceramics, furnitures, bidets, mirrors and many more products for your bathroom on [www.geberit-global.com](http://www.geberit-global.com)


# CONCEALED CISTERNS OVERVIEW

## AT ONE **GLANCE**


### Geberit concealed cisterns

- Available in various dimensions and suitable for any construction situation.
- All models are equipped with a high-end flush valve and a top silent fill valve, exceeding Sound Class 1 requirements.
- Easy maintenance at any time through a service opening.
- Exceptional spare part security for all function-maintaining components for 50 years.


Whether it be under windows or sloping roofs, in a corner or on a free-standing wall, systems and products from Geberit give you practically unlimited possibilities. Installations behind the wall lend elegance and increased space; part-height prewall installations offer additional storage possibilities.



←  
**12 CM CISTERN-THICKNESS**  
In the wall or in front of the wall. Flushing actuation from the front. Choose either Sigma, Omega or Delta 12 cm.




←  
**8 CM CISTERN-THICKNESS**  
Solution for thin wall constructions or for space-saving installation in front of the wall, flush actuation from the front. Choose a Sigma 8 cm.




←  
**LOW-HEIGHT SITUATIONS**  
Solution for low-height installation with element heights 82 cm or 98 cm choose an Omega cistern.

### SOLID WALL INSTALLATION



Geberit Kombifix installation elements are exclusively suitable for solid construction. They must be fastened in front of or inside a solid wall and then subsequently brick lined.

### DRYWALL INSTALLATION



Geberit Duofix installation elements are suitable for all drywall construction situations with a drywall system. It is possible to create complete room-height prewalls or partition walls.


CONCEALED CISTERNS OVERVIEW

# GEBERIT SIGMA AT ONE GLANCE



<b>Article number</b>	111.900.00.6	111.950.00.6	111.350.00.6	111.796.00.2	110.350.00.5 110.340.00.5*	110.792.00.1	109.300.00.5**	109.791.00.1**
<b>Cistern thickness***</b>	12 cm	12 cm	17 cm	8 cm	12 cm	8 cm	12 cm	8 cm
<b>Cistern height</b>	112 cm	112 cm	112 cm	114 cm	108 cm	109 cm	108 cm	119 cm
<b>For solid construction</b>	x	x	x	x	x	x	x	x
<b>For drywall construction</b>	x	x	x	x				
<b>Wall-hung-ready (fixation for wall-hung ceramic included)</b>	x	x	x	x	x	x		
<b>For top actuation</b>								
<b>With conduit pipe for Geberit AquaClean</b>	x	x	x	x	x	x		
<b>Electrical and communication box</b>	x							
<b>Tool-free maintenance</b>	x	x	x	x	x	x	x	x
<b>Barrier-free solution</b>	x	x	x	x				

**Dimensions**



\* With leg supports  
 \*\* Can be cut to length  
 \*\*\* Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.


CONCEALED CISTERNS OVERVIEW

# GEBERIT OMEGA AT ONE GLANCE



<b>Article number</b>	111.060.00.2	111.030.00.2	111.003.00.2	110.020.00.1	110.011.00.1	110.001.00.1	109.060.00.1	109.050.00.1	109.043.00.1
<b>Cistern thickness*</b>	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm
<b>Cistern height</b>	112 cm	98 cm	82 cm	106 cm	98 cm	82 cm	106 cm	98 cm	82 cm
<b>For solid construction</b>	x	x	x	x	x	x	x	x	x
<b>For drywall construction</b>	x	x	x						
<b>Wall-hung-ready (fixation for wall-hung ceramic included)</b>	x	x	x	x	x	x			
<b>For top actuation</b>		x	x		x	x		x	x
<b>With conduit pipe for Geberit AquaClean</b>	x	x	x	x	x	x			
<b>Tool-free maintenance</b>	x	x	x	x	x	x	x	x	x
<b>Barrier-free solution</b>	x	x	x						

**Dimensions**



\* Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.


CONCEALED CISTERNS OVERVIEW

# GEBERIT DELTA AT ONE GLANCE



<b>Article number</b>	458.127.00.2	110.100.00.1	109.100.00.1
<b>Cistern thickness*</b>	12 cm	12 cm	12 cm
<b>Cistern height</b>	112 cm	108 cm	108 cm
<b>For solid construction</b>		x	x
<b>For drywall construction</b>	x		
<b>Wall-hung-ready (fixation for wall-hung ceramic included)</b>	x	x	
<b>PVC connection included</b>	x		

**Dimensions**



\* Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.



**Geberit International Sales AG**

CH-8640 Rapperswil

Switzerland

[sales@geberit.com](mailto:sales@geberit.com)

[www.geberit-global.com](http://www.geberit-global.com)

