





CONTENT

GEBERIT ACTUATOR PLATES OVERVIEW What you see is what you get. The Geberit actuators are the only part of the concealed cisterns that you see and touch several times a day. Find the applications and an overview.	
INTRODUCTION TO THE GEBERIT CONCEALED CISTERNS There is a long history behind the Geberit concealed cisterns. Find out more about the background and the advantages.	
GEBERIT SIGMA CISTERNS Geberit Sigma cisterns are providing a lot of possibilities for high-class design in your bathroom.	14
GEBERIT OMEGA CISTERNS Geberit Omega cisterns offer solutions for low height applications.	22
GEBERIT ALPHA CISTERNS Geberit Alpha cisterns are the latest members of the family.	26
THE PERFECT MATCH Recommendations for your bathroom	
TECHNICAL INFORMATION When do you install which cistern?	
OVERVIEW OF ALL CISTERNS	

GEBERIT ACTUATORS FOR EVERY APPLICATION TRIGGER POINTS

The Geberit actuator plates not only come in a large variety of designs, but also for every application. Be it at home, in a semipublic place like a hospital, or in a public place with a high traffic like e.g. an airport: there is an actuator plate for every requirement.



FEEL AT HOME

For the bathroom at home all options are available: there is a vast variety of designs to choose from, single flush, dual flush or stop-and-go flush. Even touchless solutions might be interesting, aspects of hygienic requirements are depending on your needs and bathroom covered.



SEMI-PUBLIC SOLUTIONS


For hotels, restaurants or hospitals there are a lot of touchless actuators available that even offer a dual flush system, helping you saving water. Of course all




HIGH-TRAFFIC PUBLIC PLACES

If you run a public toilet at a train station, an airport or in a night-club, you go for the vandal-proof actuators made of stainless steel. The infrared steered actuators that offer a single flush, cleaning automatically after every use, should also be in the centre of attention.

















→ 115.770.DT.5 (plastic) white / blue / red



→ 115.770.SX.5 (plastic) white/ocean blue/light blue



white/forest green/light green



→ 115.770.79.5 (plastic) white/carmine red / orange

* vandal-resistant, screwable

** vandal-resistant, with electronic dual flush and manual override *** easy-to-clean coated **** The colour and structure of natural products may vary

SIGMA01 SQUARE SIGMA10 ROUND Stop-and-go flush 246 mm x 164 mm

→ 115.660.11.1 (plastic) white alpine

Dual flush

→ 115.660.21.1 (plastic)

→ 115.660.DW.1 (plastic)

→ 115.660.JQ.1 (plastic)

matt chrome***

MAMBO

black

bright chrome-plated

→ 115.758.KJ.5 (plastic) white/bright chrome

→ 115.758.JT.5 (plastic) white matt/bright chr***













→ 115.751.00.1 *

(stainless steel)



→ 115.758.JQ.5 (plastic) matt chrome/bright chr**



→ 115 758 KM 5 (plastic) black/bright chrome



→ 115.758.14.5 (plastic) black matt/bright chr***



→ 115.758.SN.5 → 115.787.SN.5 * (stainless steel)





→ 115.890.SN.6 ** (stainless steel) stainless steel brushed/pol/br



(stainless steel) black/matt black

SIGMA10 SQUARE · Stop-and-go flush • 246 mm x 164 mm

→ 115.893.K.J.1* (die-cast zinc)

→ 115.893.JT.1* (die-cast zinc)

chrome brushed/bright chr

→ 115.893.KY.1* (die-cast zinc)

bright chrome/chr brushed

→ 115.893.14.1* (die-cast zinc)

black matt/bright chr ***

gold-plated

white matt/bright chr ***

white/bright chrome





→ 115.907.KJ.6 (plastic) white/bright chrome



→ 115.907.KK.6 (plastic) white/gold-plated



→ 115.893.KX.1* (die-cast zinc) → 115.907.KL.6 (plastic) white/matt chrome



→ 115.907.KH.6 (plastic) bright chrome/matt chr



matt chrome-coated/bright chrome-plated ***



→ 115.907.KM.6 (plastic) black/bright chrome



→ 115.906.SN.6 * (stainless steel) → 115.907.SN.6 (stainless steel) stainless steel brushed/pol/br



→ 115.867.16.6 * mains → 115.869.16.6 battery (stainless steel) stainless steel black matt ***



→ 115.863.16.6 * mains (stainless steel) matt chrome black***















SIGMA40 SQUARE SIGMA70 SQUARE

Dual flush

white glass

• 250 mm x 145 mm

→ 115.622.Sl.1 (glass)


→ 115.622.JT.1 (stainl. steel)

white matt painted

→ 115.622.JL.1 (glass)

sand grey

SIGMA20 SQUARE SIGMA40 ROUND Dual flush • 246 mm x 152 mm



Dual flush

SIGMA20 ROUND

• 246 mm x 164 mm

→ 115.882.K.J.1 (plastic)

white/bright chrome

→ 115.882.JT.1 (plastic)

white matt/bright chr***

→ 115.882.KK.1 (plastic)

→ 115 882 KH 1 (plastic)

bright chrome/matt chr

→ 115.882.JQ.1 (plastic)

matt chr/bright chr***

→ 115.882.KM.1 (plastic)

black/bright chrome

→ 115.882.14.1 (plastic)

stainless steel

brushed/pol/br

→ 115.882.11.1 (plastic)

white/white gloss

white matt/white***

black matt/bright chr***

white/gold-plated



→ 115.883.KK.1 (plastic)

→ 115.883.11.1 (plastic)

white/white gloss/white

→ 115.883.01.1 (plastic)

→ 115.883.KM.1 (plastic)

black/bright chrome

→ 115.883.14.1 (plastic)

→ 115.883.16.1 (plastic)

→ 115.883.KH.1 (plastic)

bright chr/matt chr

black/black matt/black ***

ightarrow 115.882.SN.1 (stainl. steel) ightarrow 115.883.DW.1 (plastic)

→ 115.889.SN.1 * (stainl. steel) black/black gloss/black

black matt/bright chr ***

white/white matt/white ***

white/gold-plated

→ 115.883.JT.1 (plastic) white matt/bright chr**



sand grey

→ 115 164 FW1 (stain) steel)

brushed chrome

→ 115.164.SJ.1 (glass)

black

black matt

→ 115.164.JK.1 (glass)

black chrome

red gold

For Sigma concealed

→ 116.090.SG.6 (glass)

cistern 12 cm

black glass

white

→ 115.164.SI.1 (glass)



Dual flush

• 246 mm x 152 mm

→ 115.629.SI.1 (glass)

→ 115.629.JT.1 (glass)

white matt painted


























→ 115.622.JK.1 (glass)



OPTIONS WITH GEBERIT ACTUATORS:

→ 115.884.JL.1 (glass)

→ 115.884.JK.1 (glass)

sand grey

SIGMA50 ROUND

246 mm x 164 mm

→ 115.884.SI.1

(glass) →

→ 115.650.Sl.1 → 115.651.Sl.1 → 115.652.Sl.1

→ 115.884.JV.1 → 115.650.JV.1 → 115.651.JV.1 → 115.652.JV.1

 \rightarrow 115.884.JX.1 \rightarrow 115.650.JX.1 \rightarrow 115.652.JX.1 \rightarrow 115.652.JX.1

→ 115.884.JM.1 → 115.650.JM.1 → 115.651.JM.1 → 115.652.JM.1

→ 115.884.SJ.1 → 115.650.SJ.1 → 115.651.SJ.1 → 115.652.SJ.1

 $\rightarrow \ 115.884.00.1 \qquad \rightarrow \ 115.650.00.1 \qquad \rightarrow \ 115.651.00.1 \qquad \rightarrow \ 115.652.00.1$

Dual flush

	frontactuation	top actuation	touchless actuators	slim design	customised surface	dual flush	stop-and-go flush	metal	glass	plastic	natural surfaces	surface-even	vandal-resistant optio	illuminated buttons	odour extraction	easy-to-clean coated
Geberit Sigma	×		×	×	×	×	×	×	×	×	х		×	×	×	×
Geberit Omega	×	×				×		×	×	×		×				×
Geberit Alpha	×	×				×				×						

SIGMA50 SQUARE Dual flush 246 mm x 164 mm

rome	red gold	black chrome	brass
		_	
115.788.11.2 astic)	→ 115.670.11.2	→ 115.671.11.2	→ 115.672.11.2
		_	
115.788.JV.2 encrete look)	→ 115.670.JV.2	→ 115.671.JV.2	→ 115.672.JV.2
		-	
115.788.JX.2 ood)	→ 115.670.JX.2	→ 115.671.JX.2	→ 115.672.JX.2
115.788.JM.2 ate)	→ 115.670.JM.2	→ 115.671.JM.2	→ 115.672.JM.2





(die-cast zinc)

(brass)

→ 115.788.GH.2 (brass)

→ 115.788.SD.2 (glass)

→ 115.788.JK.2 (glass)

sand grey

→ 115.788.JL.2 (glass)

smoked glass reflective

brushed chrome



→ 115.788.21.2 → 115.762.QB.2 → 115.762.QD.2 → 115.762.QF.2

(die-cast zinc) (die-cast zinc)

red gold brushed black chrome







white/matt white

→ 115.085.16.1 (plastic)

black matt coated/black ***

OMEGA20 ROUND

→ 115.085.KJ.1 (plastic)

→ 115.085.KK.1 (plastic)

→ 115.085.01.1 (plastic)

→ 115.085.KH.1 (plastic)

→ 115.085.JT.1 (plastic)

chrome-plated ***

white matt coated/bright

bright chr/matt chr

white matt coated/white**

white/gold-plated

white/bright chrome

212 mm x 142 mm

Dual flush

OMEGA20 SQUARE

→ 115.080.KJ.1 (plastic)

white/bright chrome

→ 115.080.KK.1 (plastic)

→ 115.080.JT.1 (plastic)

white matt coated/bright chrome-plated***

→ 115.080.KH.1 (plastic)

→ 115.080.01.1 (plastic)

→ 115.080.KM.1 (plastic)

black/bright chrome

white matt coated/white***

bright chr/matt chr

white/gold-plated

212 mm x 142 mm

Dual flush

OMEGA60 SQUARE

· Even with the surface

• 184 mm x 114 mm

Dual flush

→ 115.081.SI.1

white glass

→ 115.081.GH.1

(die-cast zinc)

brushed chrome

→ 115.081.JL.1

→ 115.081.JK.1

→ 115.081.SJ.1

black glass

(die-cast zinc, glass)

(die-cast zinc, glass)

sand grey

(die-cast zinc, glass)

(die-cast zinc, glass)
















black/matt black


visit our actuator plate configurator at

■ ★ www.geberit-global.com/showroom

Learn more about the Geberit product range and







red gold

black matt

ALPHA01 ROUND

213 mm x 142 mm

→ 115.035.11.1 (plastic)

→ 115.035.21.1 (plastic)

→ 115.035.46.1 (plastic)

→ 115.035.14.1 (plastic)

bright chrome

matt chrome

white alpine

Dual flush




→ 115.035.QE.1 (plastic)

ALPHA25 ROUND

→ 115.040.11.5 (plastic)

white alpine

matt chrome







ALPHA01 SQUARE

• 213 mm x 142 mm

→ 115.055.11.1 (plastic)

→ 115.055.21.1 (plastic)

→ 115.055.46.1 (plastic)

→ 115.055.14.1 (plastic)

→ 115.055.QC.1 (plastic)

black chrome

bright chrome

matt chrome

white alpine

Dual flush






















→ 115.060.11.1 (plastic) white alpine




→ 115.060.DW.1 (plastic)













































GEBERIT CONCEALED SOLUTIONS

THE TRADITION OF HIDING CISTERNS













The Geberit wall-hung solutions are designed and tested to withstand weights of 400 kg.





As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution offers more freedom in your





All products from Geberit are known for their very high reliability and durability. Proven Swiss technology for decades.





Easy planning with Geberit BIM data and ProPlanner. Recognising older products with the Pro App and directly ordering spare parts.




Available for all Geberit installation systems:
Duofix, GIS and Kombifix.



Perfectly prepared for the installation of Geberit shower toilets with innovative comfort-





REASONS FOR WALL-HUNG CONCEALED SOLUTIONS

THE CONCEALED ADVANTAGES




SUSTAINABLE

A wall-hung solution needs much less cleaning agent than a floor-standing toilet. You are saving money and you are protecting the environment.



HYGIENIC

A floor-standing toilet with an exposed cistern offers much more space that has to be cleaned than a wall-hung concealed solution. The latter has far less corners or edges where dirt, dust and hair can get stuck. Germs have nowhere to hide





TIME-SAVING

More hygienic does not mean that you need more time for cleaning the bathroom. On the contrary: with a wall-hung solution you clean




CONCLUSION


Saving material and time for cleaning means: you save money. Especially in public and semi-public areas like hotels or office buildings this is important.

GEBERIT SIGMA CISTERNS

TOUCHING DESIGN










FUNCTIONAL BEAUTY

With Geberit Sigma cisterns not only style moves into your bathroom, but also functionality. With a prewall construction you gain space for cosmetics or other bathroom items. Another possibility to give your bathroom a personal touch.







GEBERIT DUOFRESH

What is standard in kitchens should also be introduced to bathrooms. The Geberit DuoFresh module provides a slot for a ceramic honeycomb filter and an orientation light that is triggered by a motion sensor. The module is easily installed and can be equipped with almost any actuator plate from the Sigma range.



It's as simple as this:

Just open the actuator plate at the side.



Insert the filter in the slot.



Close the actuator plate and enjoy the fresh



↑

Geberit Smyle WC ceramic, Geberit actuate
plate Sigma50 square with DuoFresh
module.

Geberit DuoFresh removes unpleasant odours right at the source. A ceramic comb filter purifies the air thouroughly and a fan conveys the cleaned air back into the room. An additional benefit offers a built-in LED orientation light. Just below the actuator plate a soft glow will guide you the way to the WC at night.



ACCESSIBLE

The ceramic honeycomb filter can be easily accessed via the actuato plate.



VISIBL

An orientation light helps you at night to find your way.




EFFICIENT

e air is purified by the amic honeycomb filter.



QUIET

A quiet fan conveys the purified air back into the room



GEBERIT SIGMA SPECIAL SOLUTIONS

EASILY

ACCESSIBLE

The Geberit installation elements offer solutions to almost any construction situation. In public areas, in healthcare, in hotels or even in private bathrooms the request for barrierfree applications can be covered with the Geberit Duofix element with a Sigma cistern and various WC ceramics with an extra long projection.





111.790.00.1 Geberit Duofix element with mounting plate for support handles.



Another special feature of the Geberit concealed cisterns is the tool-free maintenance.

OPTIONS WITH GEBERIT SIGMA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS / Duofix System compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×	×	×			



GEBERIT OMEGA CISTERNS

SMALL AND **POWERFUL**




FREEDOM OF PLACE

If you want to have a clean front view, Geberit
Omega is offering the solution. Geberit Omega
cisterns can be activated from the top.

SMALL ACTUATORS

Beautifully designed small, elegant actuator plates: Omega20 round and square and the surface-even Omega60 square. Available in different styles and high-end materials.



Omega20 round black / bright chrom



Omega20 square matt chrome / bright chrom (art.no. 115.080.JQ.1)



Omega60 square white glass art.no. 115.081.Sl.1)



GEBERIT OMEGA CISTERNS FOR LOW HEIGHTS

SOLUTION PROVIDER

IN NARROW SPOTS

Geberit Omega opens up unexpected opportunities when it comes to the design of your bathroom. Having the freedom of choice to install a top or a front actuation, there are no borders anymore to your creativity in bathroom design and the implementation of your ideas. Bottle-necks such as installations under windows and roof-pitches are elegantly mastered.





THREE CISTERN HEIGHTS

The Geberit Omega concealed cistern can be installed at a height of 82 cm, 98 cm and 112 cm. No matter what installation height: the flush performance is outstanding. All the Omega cisterns come with a water-saving dual flush system.

FIT FOR ALMOST EVERY PREWALL

With a minimum depth of 12 to 14 cm for the front actuation (depending on the chosen element) and a minimum depth of 17 cm for the top actuation, the Geberit Omega concealed cistern fits into nearly any prewall. It can be connected to the water supply from the rear as well as from the side. Installing the cistern and mounting the actuator plate can both be completed without special tools.



TOP OR FRONT - THAT IS THE QUESTION

Depending on the construction situation, the actuator plate can be installed on the top or front of the cistern. Whatever your bathroom looks like, you have the choice. The Omega cisterns are designed in such a way that both options can be chosen freely. The Geberit Omega cisterns can be serviced without tools. This makes maintenance as easy as pie.

OPTIONS WITH GEBERIT OMEGA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×	×	×			

GEBERIT ALPHA CISTERNS


STRIKING SIMPLICITY

Geberit Alpha concealed cisterns are offering a reduced scope of options but are nonetheless standing for high quality and reliability. The cisterns can be installed in either brick walls or drywalls. For standard bathroom requirements the perfect match.


> Geberit Alpha actuator plates come in five designs in four different finishes. They are all made of high quality plastic.




Alpha01 round brass



Alpha01 square red gold (art.no. 115.055.QA.1)



Alpha25 round white alpine



Alpha25 square matt chrome



Alpha50 square black (art.no. 115.060.DW.1)



GEBERIT ALPHA CISTERNS


THE NEXT GENERATION

Geberit Alpha concealed cisterns cover all needs for all sorts of installation situations. Be it narrow walls, low heights or standard applications. The cisterns and frames have been improved and the application fields have been widened.



TWO CISTERN HEIGHTS

The Geberit Alpha concealed cistern can be installed at a height of 82 cm and 112 cm. All the Alpha cisterns come with a water-saving dual flush system.



TOP OR FRONT ACTUATION

For low heights there is the option of choosing top actuation.

OPTIONS WITH GEBERIT ALPHA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×	×	×			













THE PERFECT MATCH

GEBERIT SIGMA



















GEBERIT OMEGA





Geberit Alpha is a suitable solution for your project business and for price-sensitive building. Here a few suggestions to combine the matching ceramics.





GEBERIT ALPHA



Geberit actuator plate Alpha01 square, Geberit Smyle WC and washbasin ceramic, Geberit Option mirror, Geberit Cleanline (tileable)




CONCEALED CISTERNS OVERVIEW

AT ONE GLANCE

Geberit concealed cisterns

- Available in various dimensions and suitable for any construction situation.
- All models are equipped with a high-end flush valve and a top silent fill valve, exceeding Sound Class 1 requirements.
- Easy maintenance at any time through a service opening.
- Exceptional spare part security for all function-maintaining components for 50 years.





12 CM CISTERN-THICKNESS

In the wall or in front of the wall. Flushing actuation from the front. Choose either Sigma, Omega or Alpha 12 cm.

8 CM CISTERN-THICKNESS

Solution for thin wall constructions or for space-saving installation in front of the wall, flush actuation from the front. Choose either Sigma or Alpha 8 cm.






LOW-HEIGHT SITUATIONS

Solution for low-height installation with element heights 82 cm, choose either Omega or Alpha. For a height of 98 cm go for Omega.

Whether it be under windows or sloping roofs, in a corner or on a free-standing wall, systems and products from Geberit give you practically unlimited possibilities.


Installations behind the wall lend elegance and increased space; part-height prewall installations offer additional storage possibilities.


SOLID WALL INSTALLATION



Geberit Kombifix installation elements are exclusively suitable for solid construction. They must be fastened in front of or inside a solid wall and then subsequently brick lined.

DRYWALL INSTALLATION





Geberit Duofix installation elements are suitable for all drywall construction situations with a drywall system. It is possible to create complete roomheight prewalls or partition walls.

GEBERIT SIGMA

AT ONE GLANCE





















Article number	111.900.00.6	111.950.00.6	111.350.00.6	111.796.00.2	110.350.00.5 110.340.00.5*	110.792.00.1	109.300.00.5**	109.791.00.1**
Cistern thickness***	12 cm	12 cm	17 cm	8 cm	12 cm	8 cm	12 cm	8 cm
Cistern height	112 cm	112 cm	112 cm	114 cm	108 cm	109 cm	108 cm	119 cm
For solid construction	×	×	×	×	×	×	×	×
For drywall construction	×	×	×	×				
Wall-hung-ready (fixation for wall-hung ceramic included)	×	×	×	×	×	×		
For top actuation								
With conduit pipe for Geberit AquaClean	×	×	×	×	×	×		
Electrical and communication box	×							
Tool-free maintenance	×	×	×	×	×	×	×	×
Barrier-free solution			×					




















^{*} With leg supports

^{**} Can be cut to length

^{***} Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

GEBERIT OMEGA AT ONE GLANCE
























Article number	111.060.00.2	111.030.00.2	111.003.00.2	110.020.00.1	110.011.00.1	110.001.00.1	109.060.00.1	109.050.00.1	109.043.00.1
Cistern thickness*	12 cm								
Cistern height	112 cm	98 cm	82 cm	106 cm	98 cm	82 cm	106 cm	98 cm	82 cm
For solid construction	×	×	×	×	×	×	×	×	×
For drywall construction	×	×	×						
Wall-hung-ready (fixation for wall-hung ceramic included)	×	×	Х	×	×	×			
For top actuation		×	×		×	×		×	×
With conduit pipe for Geberit AquaClean	×	×	×	×	×	×			
Tool-free maintenance	×	×	×	×	×	×	×	×	×
Barrier-free solution									























^{*} Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.


CONCEALED CISTERNS OVERVIEW


GEBERIT ALPHA AT ONE GLANCE





Article number	458.233.00.3	458.212.00.2	110.233.00.1 110.231.00.1*	109.212.00.1	110.175.00.1 110.174.00.1*	109.233.00.1**	109.212.00.1	109.175.00.1**
Cistern thickness***	12 cm	12 cm	12 cm	12 cm	8 cm	12 cm	12 cm	8 cm
Cistern height	112 cm	82 cm	106 cm	82 cm	109 cm	110 cm	82 cm	110 cm
For solid construction	х	х	х	х	x	х	x	х
For drywall construction	х	х						
Wall-hung-ready (fixation for wall-hung ceramic included)	х	Х	х	х	Х			
For top and front actuation		x		х			x	


Dimensions




















^{*} With leg supports

^{*} Can be cut to lengt

^{***} Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

Geberit International Sales AG CH-8640 Rapperswil Switzerland sales@geberit.com www.geberit-global.com