GEBERIT

GEBERIT CONCEALED CISTERNS

COVERT AFFAIRS

SOUTH EAST EUROPE

DESIGN MEETS FUNCTION

WHERE TWO WORLDS **CONNECT**

When you trigger an actuator plate you push the point where design meets function. Behind every Geberit actuator plate you find a Geberit concealed cistern. Find out more about their fields of application, advantages and technical details.

ACTUATOR PLATES

CONCEALED CISTERNS

GEBERIT SIGMA



GEBERIT OMEGA

GEBERIT DELTA

CONTENT

GEBERIT ACTUATOR PLATES OVERVIEW 05
What you see is what you get. The Geberit actuators are the only part of the concealed cisterns that you see and touch several times a day. Find the applications and an overview.

INTRODUCTION TO THE GEBERIT CONCEALED CISTERNS 10
There is a long history behind the Geberit concealed cisterns. Find out more about the background and the advantages.

GEBERIT SIGMA CISTERNS 14
Geberit Sigma cisterns are providing a lot of possibilities for high-class design in your bathroom.

GEBERIT OMEGA CISTERNS 22
Geberit Omega cisterns offer solutions for low height applications.

GEBERIT DELTA CISTERNS 26
Geberit Delta cisterns are offering an option for smaller budgets

THE PERFECT MATCH 30
Recommendations for your bathroom

TECHNICAL INFORMATION 36
When do you install which cistern?

OVERVIEW OF ALL CISTERNS 38

GEBERIT ACTUATORS FOR EVERY APPLICATION

TRIGGER **POINTS**

The Geberit actuator plates not only come in a large variety of designs, but also for every application. Be it at home, in a semi-public place like a hospital, or in a public place with a high traffic like e.g. an airport: there is an actuator plate for every requirement.

FEEL AT HOME
For the bathroom at home all options are available: there is a vast variety of designs to choose from, single flush, dual flush or stop-and-go flush. Even touchless solutions might be interesting, depending on your needs and bathroom design.

SEMI-PUBLIC SOLUTIONS
For hotels, restaurants or hospitals there are a lot of touchless actuators available that even offer a dual flush system, helping you saving water. Of course all aspects of hygienic requirements are covered.



HIGH-TRAFFIC PUBLIC PLACES
If you run a public toilet at a train station, an airport or in a night-club, you go for the vandal-proof actuators made of stainless steel. The infrared steered actuators that offer a single flush, cleaning automatically after every use, should also be in the centre of attention.

SIGMA01 ROUND
- Dual flush
- 246 mm x 164 mm

→ 115.770.11.5 (plastic)
white alpine

→ 115.770.21.5 (plastic)
bright chrome-plated

→ 115.770.KA.5 (plastic)
bright chrome/matt chrome

→ 115.770.DW.5 (plastic)
black

→ 115.770.DT.5 (plastic)
special brass (colour)

→ 115.770.JQ.5 (plastic)
matt chrome***

→ 115.770.LB.5 (plastic)
white / blue / red

→ 115.770.LA.5 (plastic)
white / yellow / green

→ 115.770.SX.5 (plastic)
white / ocean blue / light blue

→ 115.770.79.5 (plastic)
white / forest green / light green

→ 115.770.FY.5 (plastic)
white / carmine red / orange

SIGMA01 SQUARE
NEW
- Dual flush
- 246 mm x 164 mm

→ 115.660.11.1 (plastic)
white alpine

→ 115.660.21.1 (plastic)
bright chrome-plated

→ 115.660.DW.1 (plastic)
black

→ 115.660..JQ.1 (plastic)
matt chrome***

MAMBO
- Stop-and-go flush
- 246 mm x 164 mm

→ 115.751.00.1 * (stainless steel)
stainless steel brushed

SIGMA10 ROUND
- Stop-and-go flush
- 246 mm x 164 mm

→ 115.758.KJ.5 (plastic)
white/bright chrome

→ 115.758..JT.5 (plastic)
white matt/bright chr***

→ 115.758.KK.5 (plastic)
white/gold-plated

→ 115.758.01.5 (plastic)
white matt

→ 115.758.KH.5 (plastic)
bright chrome/matt chr

→ 115.758.16.5 (plastic)
black

→ 115.758..JQ.5 (plastic)
matt chrome/bright chr***

→ 115.758.KM.5 (plastic)
black/bright chrome

→ 115.758.14.5 (plastic)
black matt/bright chr***

→ 115.758.SN.5
→ 115.787.SN.5 *
(stainless steel)
stainless steel brushed/pol/br

→ 115.890.SN.6 **
(stainless steel)
stainless steel brushed/pol/br

→ 115.890.DW.6 mains **
(stainless steel)
black/matt black

SIGMA10 SQUARE
- Stop-and-go flush
- 246 mm x 164 mm

→ 115.893.KJ.1* (die-cast zinc)
white/bright chrome

→ 115.893..JT.1* (die-cast zinc)
white matt/bright chr *

→ 115.893.KX.1* (die-cast zinc)
chrome brushed/bright chr

→ 115.893.KY.1* (die-cast zinc)
bright chrome/chr brushed

→ 115.893.45.1* (die-cast zinc)
gold-plated

→ 115.893.14.1* (die-cast zinc)
black matt/bright chr *

SIGMA10 IR ROUND
- Touchless, electronic
- 246 mm x 164 mm

→ 115.907.KJ.6 (plastic)
white/bright chrome

→ 115.907.KK.6 (plastic)
white/gold-plated

→ 115.907.KL.6 (plastic)
white/matt chrome

→ 115.907.KH.6 (plastic)
bright chrome/matt chr

→ 115.907..JQ.6 (plastic)
matt chrome-coated/bright chrome-plated *

→ 115.907.KM.6 (plastic)
black/bright chrome

→ 115.906.SN.6 * (stainless steel)
→ 115.907.SN.6 (stainless steel)
stainless steel brushed/pol/br

→ 115.867.16.6 * mains
→ 115.869.16.6 battery
(stainless steel)
stainless steel black matt *

→ 115.863.16.6 * mains
(stainless steel)
matt chrome black*

→ 115.906.DW.6 * mains
→ 115.907.DW.6 mains
(stainless steel)
black/matt black

* vandal-resistant, screwable
** vandal-resistant, with electronic dual flush and manual override
*** easy-to-clean coated
**** The colour and structure of natural products may vary

SIGMA20 ROUND
- Dual flush
- 246 mm x 164 mm

→ 115.882.KJ.1 (plastic)
white/bright chrome

→ 115.882..JT.1 (plastic)
white matt/bright chr***

→ 115.882.KK.1 (plastic)
white/gold-plated

→ 115.882.KH.1 (plastic)
bright chrome/matt chr

→ 115.882..JQ.1 (plastic)
matt chr/bright chr***

→ 115.882.KM.1 (plastic)
black/bright chrome

→ 115.882.14.1 (plastic)
black matt/bright chr***

→ 115.882.SN.1 (stainl. steel)
→ 115.889.SN.1 * (stainl. steel)
stainless steel
brushed/pol/br

→ 115.882.11.1 (plastic)
white/white gloss

→ 115.882.01.1 (plastic)
white matt/white***

→ 115.882.DW.1 (plastic)
black/matt black

→ 115.882.16.1 (plastic)
black matt/black***

SIGMA20 SQUARE
- Dual flush
- 246 mm x 164 mm

→ 115.883.KJ.1 (plastic)
white/bright chrome

→ 115.883..JT.1 (plastic)
white matt/bright chr***

→ 115.883.KK.1 (plastic)
white/gold-plated

→ 115.883.11.1 (plastic)
white/white gloss/white

→ 115.883.01.1 (plastic)
white/white matt/white *

→ 115.883.KM.1 (plastic)
black/bright chrome

→ 115.883.14.1 (plastic)
black matt/bright chr *

→ 115.883.DW.1 (plastic)
black/black gloss/black

→ 115.883.16.1 (plastic)
black/black matt/black *

→ 115.883.KH.1 (plastic)
bright chr/matt chr

→ 115.883..JQ.1 (plastic)
matt chr/bright chr***

SIGMA40 ROUND
NEW
- Dual flush
- 246 mm x 152 mm

→ 115.628.SI.1 (glass)
white

→ 115.628..JT.1 (stainl. steel)
white matt painted

→ 115.628..JL.1 (glass)
sand grey

→ 115.628.FW.1 (stainl.steel)
brushed chrome

→ 115.628.SJ.1 (glass)
black

→ 115.628.14.1 (stainl. steel)
black matt

→ 115.628..JK.1 (glass)
lava

→ 115.628.QD.1 (stainl. steel)
black chrome

→ 115.628.QB.1 (stainl. steel)
red gold

→ 115.628.QF.1 (stainl. steel)
brass

SIGMA40 SQUARE
NEW
- Dual flush
- 246 mm x 152 mm

→ 115.629.SI.1 (glass)
white

→ 115.629..JT.1 (stainl. steel)
white matt painted

→ 115.629..JL.1 (glass)
sand grey

→ 115.629.FW.1 (stainl. steel)
brushed chrome**

→ 115.629.SJ.1 (glass)
black

→ 115.629.14.1 (stainl. steel)
black matt*

→ 115.629..JK.1 (glass)
lava

→ 115.629.QD.1 (stainl. steel)
black chrome

→ 115.629.QB.1 (stainl. steel)
red gold

→ 115.629.QF.1 (stainl. steel)
brass

SIGMA70 SQUARE
- Dual flush
- 250 mm x 145 mm

→ 115.622.SI.1 (glass)
white glass

→ 115.622..JT.1 (stainl. steel)
white matt painted

→ 115.622..JL.1 (glass)
sand grey

→ 115.622.FW.1 (stainl. steel)
brushed chrome

→ 115.622.SJ.1 (glass)
black

→ 115.622.14.1 (stainl. steel)
black matt

→ 115.622..JK.1 (glass)
lava

→ 115.622.QD.1 (stainl. steel)
black chrome

→ 115.622.QB.1 (stainl. steel)
red gold

→ 115.622.QF.1 (stainl. steel)
brass

SIGMA80 SQUARE
- Dual flush, touchless, electronic
- 247 mm x 164 mm
- Illuminated

For Sigma concealed cistern 12 cm
→ 116.090.SG.6 (glass)
black glass

For Sigma concealed cistern 12 cm
→ 116.090.SM.6 (glass)
reflective glass

SIGMA50 ROUND
- Dual flush
- 246 mm x 164 mm

	chrome	red gold	black chrome	brass
white	→ 115.884.SI.1 (glass) →	→ 115.650.SI.1	→ 115.651.SI.1	→ 115.652.SI.1
concrete****	→ 115.884..JV.1	→ 115.650..JV.1	→ 115.651..JV.1	→ 115.652..JV.1
black walnut****	→ 115.884..JX.1	→ 115.650..JX.1	→ 115.651..JX.1	→ 115.652..JX.1
mustang satin****	→ 115.884..JM.1	→ 115.650..JM.1	→ 115.651..JM.1	→ 115.652..JM.1
black	→ 115.884.SJ.1 (glass)	→ 115.650.SJ.1	→ 115.651.SJ.1	→ 115.652.SJ.1
customisable surface	→ 115.884.00.1	→ 115.650.00.1	→ 115.651.00.1	→ 115.652.00.1

→ 115.884..JL.1 (glass)
sand grey

→ 115.884..JK.1 (glass)
lava

SIGMA50 SQUARE
- Dual flush
- 246 mm x 164 mm

	chrome	red gold	black chrome	brass
white	→ 115.788.11.2 (plastic)	→ 115.670.11.2	→ 115.671.11.2	→ 115.672.11.2
concrete****	→ 115.788..JV.2 (concrete look)	→ 115.670..JV.2	→ 115.671..JV.2	→ 115.672..JV.2
black walnut****	→ 115.788..JX.2 (wood)	→ 115.670..JX.2	→ 115.671..JX.2	→ 115.672..JX.2
mustang satin****	→ 115.788..JM.2 (slate)	→ 115.670..JM.2	→ 115.671..JM.2	→ 115.672..JM.2
black	→ 115.788.DW.2 (plastic)	→ 115.670.DW.2	→ 115.671.DW.2	→ 115.672.DW.2
customisable surface	→ 115.788.00.2 (die-cast zinc)	→ 115.670.00.2	→ 115.671.00.2	→ 115.672.00.2

	chrome	red gold brushed	black chrome brushed	brass brushed
	→ 115.788.21.2 (brass) **chrome**	→ 115.670.QB.2 (die-cast zinc) **red gold brushed**	→ 115.671.QO.2 (die-cast zinc) **black chrome brushed**	→ 115.672.QF.2 (die-cast zinc) **brass brushed**

→ 115.788.GH.2 (brass)
brushed chrome

→ 115.788.SD.2 (glass)
smoked glass reflective

→ 115.788..JK.2 (glass)
lava

→ 115.788..JL.2 (glass)
sand grey

OPTIONS WITH GEBERIT ACTUATORS:

	front actuation	top actuation	touchless actuators	customised surface	dual flush	stop-and-go flush	metal	glass	plastic	natural surfaces	matt black / white	vandal-resistant options	illuminated buttons	odour extraction	easy-to-clean coated
Geberit Sigma	×		×	×	×	×	×	×	×	×	×	×	×	×	×
Geberit Omega	×	×			×		×	×	×						×
Geberit Delta	×				×	×			×						

OMEGA20 ROUND
- Dual flush
- 212 mm x 142 mm

→ 115.085.KJ.1 (plastic)
white/bright chrome

→ 115.085.KK.1 (plastic)
white/gold-plated

→ 115.085.01.1 (plastic)
white matt coated/white*

→ 115.085.KH.1 (plastic)
bright chr/matt chr

→ 115.085..JT.1 (plastic)
white matt coated/bright chrome-plated *

→ 115.085.KM.1 (plastic)
black/bright chrome

→ 115.085..JQ.1 (plastic)
matt chr/bright chr *

→ 115.085.14.1 (plastic)
black matt coated/bright chrome-plated *

→ 115.085.11.1 (plastic)
white/matt white

→ 115.085.16.1 (plastic)
black matt coated/black *

OMEGA20 SQUARE
- Dual flush
- 212 mm x 142 mm

→ 115.080.KJ.1 (plastic)
white/bright chrome

→ 115.080.KK.1 (plastic)
white/gold-plated

→ 115.080..JT.1 (plastic)
white matt coated/bright chrome-plated*

→ 115.080.KH.1 (plastic)
bright chr/matt chr

→ 115.080.01.1 (plastic)
white matt coated/white*

→ 115.080.KM.1 (plastic)
black/bright chrome

→ 115.080..JQ.1 (plastic)
matt chr/bright chr*

→ 115.080.14.1 (plastic)
black matt coated/bright chrome-plated*

→ 115.080.11.1 (plastic)
white/matt white

→ 115.080.16.1 (plastic)
black matt coated/black*

→ 115.080.DW.1 (plastic)
black/matt black

OMEGA60 SQUARE
- Dual flush
- 184 mm x 114 mm
- Even with the surface

→ 115.081.SI.1 (die-cast zinc, glass)
white glass

→ 115.081.GH.1 (die-cast zinc)
brushed chrome

→ 115.081..JL.1 (die-cast zinc, glass)
sand grey

→ 115.081..JK.1 (die-cast zinc, glass)
lava

→ 115.081.SJ.1 (die-cast zinc, glass)
black glass

DELTA01 ROUND
- Dual flush
- 246 mm x 164 mm

→ 115.107.11.1 (plastic)
white alpine

→ 115.107.21.1 (plastic)
bright chrome

→ 115.107.46.1 (plastic)
matt chrome

DELTA10 ROUND

→ 115.108.00.1 (plastic)
brushed stainless steel

DELTA15 ROUND

→ 115.109.11.1 (plastic)
white alpine

→ 115.109.21.1 (plastic)
bright chrome

→ 115.109.46.1 (plastic)
matt chrome

DELTA20 ROUND

→ 115.127.11.1 (plastic)
white alpine

→ 115.127.21.1 (plastic)
bright chrome

→ 115.127.46.1 (plastic)
matt chrome

DELTA20 SQUARE

→ 115.137.11.1 (plastic)
white alpine

→ 115.137.21.1 (plastic)
bright chrome

→ 115.137.46.1 (plastic)
matt chrome

DELTA50 SQUARE

→ 115.119.11.1 (plastic)
white alpine

→ 115.119.21.1 (plastic)
bright chrome

→ 115.119.46.1 (plastic)
matt chrome

→ 115.119.14.1 (plastic)
black matt

→ 115.119.DW.1 (plastic)
black

Learn more about the Geberit product range and visit our actuator plate configurator at
→ **www.geberit-global.com/showroom**

The Geberit actuator plate is the only part you see of the concealed cistern. It is a piece of design, a decoration item for your bathroom. At the same time it is functional and easy to clean. Whatever needs you have – there is the correct actuator plate. Choose from a wide variety of designs and materials.

GEBERIT CONCEALED SOLUTIONS

THE TRADITION OF HIDING CISTERNS

In solid and drywall construction, the Geberit concealed cistern is the heart of millions of concealed installations in bathrooms. Every detail of this product is ingenious and has been proven a million times over. Plumbers and endusers have trusted the one-piece leak-proof cisterns from Geberit for more than 60 years.



EVENTFUL HISTORY
Geberit has more than 60 years experience in the field of concealed cisterns. Since 1964 Geberit is working on product improvement and has constantly developed the quality and functionality of the cisterns.

TRIED AND TRUSTED
The Geberit concealed cisterns have been installed worldwide, millions of times.

BEAUTIFUL DESIGN
A concealed solution with a wall-hung WC and beautiful actuator plates offers a lot of design options for your bathroom.

INNOVATIVE AND FUNCTIONAL DESIGN
Actuator plates are available in an easy-to-clean coated option, in a vandal-proof, screwable version and almost all Sigma actuator plates can be combined with an odour extraction unit.

WITHSTANDING HEAVY LOAD
The Geberit wall-hung solutions are designed and tested to withstand weights of 400 kg.

SAVING WATER
The water consumption can be sustainably reduced with a Geberit dual flush actuation for the WC.

OPENING SPACE
As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution offers more freedom in your bathroom.

EASY TO CLEAN
The fewer edges, joints and corners, the simpler to clean and more hygienic.

PREMIUM QUALITY
All products from Geberit are known for their very high reliability and durability. Proven Swiss technology for decades.

LEAKPROOF
Every single cistern one-piece blow-mould and is tested on its leak-tightness before it is leaving the factory.

50 YEARS SPARE PARTS AVAILABILITY
Geberit guarantees 50 years spare parts availability, on all replaceable mechanical parts of the concealed cistern, except for electronic product functions (e.g. DuoFresh)

DIGITAL HELPERS
Easy planning with Geberit BIM data and ProPlanner. Recognising older products with the Pro App and directly ordering spare parts.

INSTALLATION SYSTEMS
Available for all Geberit installation systems: Duofix, GIS and Kombifix.

ELECTRIC CONNECTION
The cisterns are prepared for a hidden or visible electric connection in case you want to upgrade your WC.

GEBERIT AQUACLEAN SHOWER TOILETS
Perfectly prepared for the installation of Geberit shower toilets with innovative comfort-functions.

HYDRAULIC KNOW-HOW
Optimised hydraulics for a perfect wash-out of Geberit WC ceramics, with water-saving flushing.



REASONS FOR WALL-HUNG CONCEALED SOLUTIONS

THE CONCEALED ADVANTAGES

SUSTAINABLE

A wall-hung solution needs much less cleaning agent than a floor-standing toilet. You are saving money and you are protecting the environment.

HYGIENIC

A floor-standing toilet with an exposed cistern offers much more space that has to be cleaned than a wall-hung concealed solution. The latter has far less corners or edges where dirt, dust and hair can get stuck. Germs have nowhere to hide.



TIME-SAVING

More hygienic does not mean that you need more time for cleaning the bathroom. On the contrary: with a wall-hung solution you clean the toilet much faster.

CONCLUSION

Saving material and time for cleaning means: you save money. Especially in public and semi-public areas like hotels or office buildings this is important.

GEBERIT SIGMA CISTERNS

TOUCHING **DESIGN**

STYLISH CALLING CARDS
The Geberit Sigma concealed cisterns not only offer numerous installation possibilities, but also the widest range of stylish actuator plates. Be it for single flush, dual flush or stop-and-go flush, mechanical, pneumatic, hydraulic or touchless actuation.

Sigma50 square red gold / slate (art.no 115.670.JM.2)



Sigma40 round red gold (art.no. 115.628.QB.1)



Sigma80 square black glass (art.no. 116.090.SG.1)

Geberit ONE WC ceramic, Geberit Sigma50 square actuator plate, Geberit wall drain

FUNCTIONAL BEAUTY
With Geberit Sigma cisterns not only style moves into your bathroom, but also functionality. With a prewall construction you gain space for cosmetics or other bathroom items. Another possibility to give your bathroom a personal touch.

STATE-OF-THE-ART DESIGN
The Geberit Sigma concealed cisterns offer solutions to almost every building situation and to every design idea. Thus, it is possible to create extraordinary bathroom looks that meet all the requirements and expectations.

Geberit iCon WC ceramic, Geberit Sigma50 round actuator plate, Geberit Variform washbasin and furniture, Geberit Option Plus mirror

GEBERIT SIGMA UPGRADES

ADD THE **ELEMENT WATER**

GEBERIT AQUACLEAN
Modern shower toilets are hardly to be recognised as such at first glance. Geberit offers diverse AquaClean WC models with a lot of features to choose from. If you do not want to remove the existing WC ceramic, there is the possibility to add an AquaClean seat as an enhancement solution.

↑
ODOUR EXTRACTION UNIT
Unpleasant odours are absorbed at once in the odour extraction unit. An active carbon filter eliminates odours before they spread. It starts automatically as soon as you sit down.

↑
WHIRLSPRAY SHOWER TECHNOLOGY
The patented WhirlSpray technology enables a particularly direct adn thourough cleaning. The reason for this is a pulsating shower spray refined through dynamic aeration.

↑
DRYER
The dryer arm aligns itself automatically for optimum drying at the last position of the spray arm.

↑
HEATING THE WC SEAT
The ergonomically optimised WC seat made of high-quality thermoset is equipped with an integrated heating element. Thanks to the proximity sensor, the WC seat waits until someone approaches before heating up.



Geberit AquaClean Mera, Geberit Sigma50 square actuator plate, Geberit One washbasin and furniture, Geberit One mirror cabinet, Geberit One wall-mounted tap

GEBERIT SIGMA UPGRADES

ADD THE **ELEMENT AIR**

GEBERIT DUOFRESH

What is standard in kitchens should also be introduced to bathrooms. The Geberit DuoFresh module provides a slot for a ceramic honeycomb filter and an orientation light that is triggered by a motion sensor. The module is easily installed and can be equipped with almost any actuator plate from the Sigma range.

↑
It's as simple as this:
Just open the actuator plate at the side.

↑
Insert the filter in the slot.



↑
Close the actuator plate and enjoy the fresh air in your bathroom.

↑
Geberit Smyle WC ceramic, Geberit actuator plate Sigma50 square with DuoFresh module.

Geberit DuoFresh removes unpleasant odours right at the source. A ceramic comb filter purifies the air thouroughly and a fan conveys the cleaned air back into the room. An additional benefit offers a built-in LED orientation light. Just below the actuator plate a soft glow will guide you the way to the WC at night.

ACCESSIBLE
The ceramic honeycomb filter can be easily accessed via the actuator plate.

VISIBLE
An orientation light helps you at night to find your way.

EFFICIENT
The air is purified by the ceramic honeycomb filter.

QUIET
A quiet fan conveys the purified air back into the room.



GEBERIT SIGMA SPECIAL SOLUTIONS

EASILY ACCESSIBLE

The Geberit installation elements offer solutions to almost any construction situation. In public areas, in healthcare, in hotels or even in private bathrooms the request for barrierfree applications can be covered with the Geberit Duofix element with a Sigma cistern and various WC ceramics with an extra long projection.

↑
111.350.00.6
Geberit Duofix element for a barrier-free solution. The frame-width is reduced for the placement of support handles next to the element.

↑
111.790.00.1
Geberit Duofix element with mounting plate for support handles.

↑
Another special feature of the Geberit concealed cisterns is the tool-free maintenance.

OPTIONS WITH GEBERIT SIGMA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS / Duofix System compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Delta	×	×			×					

Geberit Selnova WC ceramic with extra long projection, Geberit actuator plate Sigma10 round, Geberit Option mirror, Geberit Selnova Comfort washbasin, Geberit trap and shower drain.

GEBERIT OMEGA CISTERNS

SMALL AND **POWERFUL**

Geberit Xeno², Geberit Omega60 square actuator plate, top actuation with low height, Geberit CleanLine60

FREEDOM OF PLACE
If you want to have a clean front view, Geberit Omega is offering the solution. Geberit Omega cisterns can be activated from the top.

SMALL ACTUATORS
Beautifully designed small, elegant actuator plates: Omega20 round and square and the surface-even Omega60 square. Available in different styles and high-end materials.

Omega20 round black / bright chrome
(art.no. 115.085.KM.1)

Omega20 square matt chrome / bright chrome
(art.no. 115.080.JQ.1)

Omega60 square white glass
(art.no. 115.081.SI.1)

The Geberit Omega concealed cisterns are designed for low-height situations. But it is also a good choice if you just prefer a smaller size of the actuator plate.

Geberit AquaClean Mera, Geberit Omega60 square actuator plate, front actuation with standard height, Geberit CleanLine60.

GEBERIT OMEGA CISTERNS FOR LOW HEIGHTS

SOLUTION PROVIDER IN NARROW SPOTS

Geberit Omega opens up unexpected opportunities when it comes to the design of your bathroom. Having the freedom of choice to install a top or a front actuation, there are no borders anymore to your creativity in bathroom design and the implementation of your ideas. Bottle-necks such as installations under windows and roof-pitches are elegantly mastered.

THREE CISTERN HEIGHTS
The Geberit Omega concealed cistern can be installed at a height of 82 cm, 98 cm and 112 cm. No matter what installation height: the flush performance is outstanding. All the Omega cisterns come with a water-saving dual flush system.

FIT FOR ALMOST EVERY PREWALL
With a minimum depth of 12 to 14 cm for the front actuation (depending on the chosen element) and a minimum depth of 17 cm for the top actuation, the Geberit Omega concealed cistern fits into nearly any prewall. It can be connected to the water supply from the rear as well as from the side. Installing the cistern and mounting the actuator plate can both be completed without special tools.

TOP OR FRONT – THAT IS THE QUESTION
Depending on the construction situation, the actuator plate can be installed on the top or front of the cistern. Whatever your bathroom looks like, you have the choice. The Omega cisterns are designed in such a way that both options can be chosen freely. The Geberit Omega cisterns can be serviced without tools. This makes maintenance as easy as pie.

OPTIONS WITH GEBERIT OMEGA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	**×**	**×**	**×**		**×**	**×**	**×**	**×**		**×**
Geberit Delta	×	×			×					

GEBERIT DELTA CISTERNS

STRIKING **SIMPLICITY**

Geberit Delta concealed cisterns are offering a reduced scope of options but are nonetheless standing for high quality and reliability. The cisterns can be installed in either brick walls or drywalls. For standard bathroom requirements the perfect match.

Geberit Delta actuator plates come in six designs in five different colours. They are all made of high quality plastic and Delta10 ist made of stainless steel.



Delta01 round white alpine
(art.no. 115.107.11.1)



Delta10 round stainless steel
(art.no. 115.108.00.1)

Delta15 round matt chrome
(art.no. 115.109.46.1)

Delta20 round bright chrome
(art.no. 115.127.21.5)



Delta20 square white alpine
(art.no. 115.137.11.1)

Delta50 square black
(art.no. 115.119.DW.1)

Geberit Delta50 square square actuator plate, Geberit Smyle WC, Geberit Smyle furniture, Geberit Smyle washbasin, Geberit Option mirror, Geberit magnetic board with storage boxes.

GEBERIT DELTA CISTERNS

QUALITY **TO RELY ON**

Geberit Delta concealed cisterns cover all needs for standard installation situations. Be it a dry-wall or a brick-wall construction, Geberit Delta offers the right solution.



TWO CISTERN HEIGHTS
The Geberit Delta concealed cistern can be installed at a height of 108 cm and 112 cm. All the Delta cisterns come with a water-saving dual flush system.

Geberit Delta20 round actuator plate, Geberit Selnova WC, bidet and washbasin with full pedestal, Geberit Option mirror cabinet.

OPTIONS WITH GEBERIT DELTA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Delta	**×**	**×**			**×**					

GEBERIT SIGMA

Geberit actuator plate Sigma70 square, Geberit WC and bidet iCon white matt, Geberit furniture iCon, Geberit lay-on washbasin white matt, Geberit Option mirror

THE APPEARANCE IN FRONT OF THE WALL

THE PERFECT MATCH

When you have defined the installation behind the wall, you take the next step and choose the ceramic appliances and the bathroom furniture. You are absolutely free to match every Geberit ceramic with every cistern.

Choose from a huge portfolio of Geberit WC and washbasin ceramics, perfectly aligned bathroom furniture designs, mirrors and other bathroom products that will help realising your own personal bathroom style.

A few suggestions to help you finding the perfect ceramic match for Geberit Sigma and Omega, that are suitable for almost any project type.



Geberit actuator plate Sigma50 square, Geberit AquaClean Sela

Geberit actuator plate Sigma40 square, Geberit iCon WC ceramic with TurboFlush

GEBERIT OMEGA

Geberit actuator plate Omega60 square top actuation, Geberit Xeno² WC ceramic, Geberit CleanLine

Geberit actuator plate Omega20 round,
Geberit iCon WC and washbasin ceramic,
Geberit CleanLine tileable

Geberit Delta is a suitable solution for your project business and for price-sensitive building. Here a few suggestions to combine the matching ceramics.

GEBERIT DELTA

Geberit actuator plate Delta20 round, Geberit Bastia WC and washbasin ceramic, Geberit Option basic square mirror

Geberit actuator plate Delta20 square, Geberit Smyle WC ceramic, washbasin with half pedestal, Geberit Option mirror.

Find more on our Geberit ceramics, furnitures, bidets, mirrors and many more products for your bathroom on **www.geberit-global.com**

CONCEALED CISTERNS OVERVIEW
AT ONE **GLANCE**

Geberit concealed cisterns

- Available in various dimensions and suitable for any construction situation.
- All models are equipped with a high-end flush valve and a top silent fill valve, exceeding Sound Class 1 requirements.
- Easy maintenance at any time through a service opening.
- Exceptional spare part security for all function-maintaining components for 50 years.



←
12 CM CISTERN-THICKNESS
In the wall or in front of the wall. Flushing actuation from the front. Choose either Sigma, Omega or Delta 12 cm.



←
8 CM CISTERN-THICKNESS
Solution for thin wall constructions or for space-saving installation in front of the wall, flush actuation from the front. Choose Sigma 8 cm.



←
LOW-HEIGHT SITUATIONS
Solution for low-height installation with element heights of 82 or 98 cm, choose Omega.

Whether it be under windows or sloping roofs, in a corner or on a free-standing wall, systems and products from Geberit give you practically unlimited possibilities. Installations behind the wall lend elegance and increased space; part-height prewall installations offer additional storage possibilities.

SOLID WALL INSTALLATION



Geberit Kombifix installation elements are exclusively suitable for solid construction. They must be fastened in front of or inside a solid wall and then subsequently brick lined.

DRYWALL INSTALLATION



Geberit Duofix installation elements are suitable for all drywall construction situations with a drywall system.
It is possible to create complete room-height prewalls or partition walls.

CONCEALED CISTERNS OVERVIEW

GEBERIT SIGMA
AT ONE GLANCE

								
Article number	111.900.00.6	111.950.00.6	111.350.00.6	111.796.00.2	110.350.00.5 110.340.00.5*	110.792.00.1	109.300.00.5**	109.791.00.1**
Cistern thickness* **	12 cm	12 cm	17 cm	8 cm	12 cm	8 cm	12 cm	8 cm
Cistern height	112 cm	112 cm	112 cm	114 cm	108 cm	109 cm	108 cm	119 cm
For solid construction	×	×	×	×	×	×	×	×
For drywall construction	×	×	×	×				
Wall-hung-ready (fixation for wall-hung ceramic included)	×	×	×	×	×	×		
For top actuation								
With conduit pipe for Geberit AquaClean	×	×	×	×	×	×		
Electrical and communication box	×							
Tool-free maintenance	×	×	×	×	×	×	×	×
Barrier-free solution	×	×	×	×				
Dimensions								

* With leg supports
** Can be cut to length
*** Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

CONCEALED CISTERNS OVERVIEW

GEBERIT OMEGA
AT ONE GLANCE

Article number	111.060.00.2	111.030.00.2	111.003.00.2	110.020.00.1	110.011.00.1	110.001.00.1	109.060.00.1**	109.050.00.1**	109.043.00.1
Cistern thickness*	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm	12 cm
Cistern height	112 cm	98 cm	82 cm	106 cm	98 cm	82 cm	106 cm	98 cm	82 cm
For solid construction	×	×	×	×	×	×	×	×	×
For drywall construction	×	×	×						
Wall-hung-ready (fixation for wall-hung ceramic included)	×	×	×	×	×	×			
For top actuation		×	×		×	×		×	×
With conduit pipe for Geberit AquaClean	×	×	×	×	×	×			
Tool-free maintenance	×	×	×	×	×	×	×	×	×
Barrier-free solution	×	×	×						
Dimensions									

* Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.
** Can be cut to length.

CONCEALED CISTERNS OVERVIEW

GEBERIT DELTA AT ONE GLANCE

Article number	458.127.00.2	111.153.00.3	110.100.00.1	109.100.00.1
Cistern thickness*	12 cm	12 cm	12 cm	12 cm
Cistern height	112 cm	112 cm	108 cm	108 cm
For solid construction			x	x
For drywall construction	x	x		
Wall-hung-ready (fixation for wall-hung ceramic included)	x	x	x	
PVC connection included	x			
Dimensions				

* Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

Geberit International Sales AG
CH-8640 Rapperswil
Switzerland

sales@geberit.com

www.geberit-global.com

int.see 11007-25 © by Geberit International Sales AG